7.0 Cited References

- 33 USC § 1251-1387. Federal water pollution control act (Clean Water Act).
- 40 CFR 130. Code of Federal Regulations. Water quality planning and management.
- Agency for Toxic Substances and Disease Registry (ATSDR). 1994a. Toxicological Profile for Mercury (update) TO 93/10. Atlanta, Georgia. United States Department of Health and Human Services, Public Health Service.
- ATSDR. 1994b. Toxicological Profile for 4,4'-DDT, 4,4'-DDE, 4, 4'-DDD (Update). 1994. Atlanta, Georgia. United States Department of Health and Human Services, Public Health Service.
- ATSDR. 1997. Atlanta, GA. 2001 ToxFAQs™ MENU for DDT, DDE, and DDD, September 1995, and for Dieldrin, April 1993. http://atsdr1.atsdr.cdc.gov:8080/toxfaqta.html: ATSDR
- ATSDR. 2001. Public Health Statement for DDT, DDE, and DDD, May 1994. Public Health Statement for Dieldrin, April 1993. http://www.atsdr.cdc.gov/toxprofiles/phs35.html
- Agostino, M. and C. Lucangeli. 2001. Health Issues Related to Fish Products. Laboratorio di Medicina Veterinaria, Istituto Superiore di Sanità, Roma.
- Alhajjar, B.J., J.M. Harkin, and G. Chesters. 1989. Detergent Formula Effect on Transport of Nutrients to Ground Water from Septic Systems. Ground Water 27(2): 209-219.
- Allen, S.M. and L.R. Curtis. 1991. An Ecoregion Approach to Mercury Dynamics in Three Oregon Reservoirs. Oregon State University, Dept. of Fisheries and Wildlife, Corvallis, Oregon. 24 p.
- Allen-Gil, S.M., D.J. Gilroy, and L.R. Curtis. 1995. An Ecoregion Approach to Mercury Bioaccumulation in Fish in Reservoir. Archives of Environmental Contamination and Toxicology 28, 61-68 (1995).
- Alt, D.D. and D.W. Hyndman. 1989. <u>Roadside Geology of Idaho</u>. Roadside Geology Series, Mountain Press Publishing Company. P 171, 207 and 322.
- American Geologic Institute. 1962. Dictionary of Geologic Terms. Doubleday and Company: Garden City, New York. 545 p.
- Amoyt, M., G. Mierle, D.R.S. Lean, and D.J. McQueen. 1994. Sunlight-Induced Formation of Dissolved Gaseous Mercury in Lake Waters. Environ. Sci. Technol., Vol. 28 No. 13, 1994.

- Andersson, A. 1979. Chapter 4 In: <u>The Biogeochemistry of Mercury in the Environment,</u> (Nriagu, J.O. editor). Amsterdam: Elsevier / North Holland Biomedical Press. P 79-112.
- Annear, T.C. 1989. Snake River Instream Flow Studies. Wyoming Game and Fish Department, Laramie, Wyoming, IF-1088-09-8701. 15 p.
- Arizona Department of Environmental Quality (ADEQ). 1999a. TMDL and Implementation Plan for Mercury, Arivaca Lake, Arizona. Tetratech, United States Environmental Protection Agency and Arizona Department of Environmental Quality, Oct. 15, 1999. 72 p.
- ADEQ. 1999b. TMDL and Implementation Plan for Mercury. Pena Blanca Lake, Arizona. Tetratech, United States Environmental Protection Agency and Arizona Department of Environmental Quality, Oct. 15, 1999. 69 p.
- Armantrout, N. B. (compiler). 1998. Glossary of aquatic habitat inventory terminology. American Fisheries Society: Bethesda, Maryland. 136 pp.
- Armour, C.L., D.A. Duff, and W. Elmore. 1991. The Effects of Livestock Grazing on Riparian Streams and Ecosystems. Fisheries 16 (1): 7-11.
- Armstrong, N. 2001. N. Armstrong. Personal communication to M. Limbaugh.
- Arnold, C.L. and C.J. Gibbons. 1996. Impervious surface coverage: the emergence of a key environmental indicator. J. Amer. Planning Assoc. 62 (2): 243-258.
- Audubon, 1979. The National Audubon Society Field Guide to North American Reptiles and Amphibians by Behler, J.L. and F.W. King. New York, New York: Knopf Publishing Company, Inc. December, 1979.
- Audubon, 1997. The National Audubon Society Field Guide to North American Birds: Western Region by Udvardy, M.D.F. and J. Farrand. New York, New York: Knopf Publishing Company, Inc. February, 1997.
- Baird, C. 1995. Environmental Chemistry. New York: W.H. Freeman and Company.
- Batt, P. E. 1996. Governor Philip E. Batt's Idaho bull trout conservation plan. State of Idaho, Office of the Governor: Boise, Idaho. 20 p + appendices.
- Beaty, K.G. 1994. Sediment Transport in a Small Stream Following Two Successive Forest Fires. Can. J. Fish. Aqua. Sci. 51: 2723-2733.
- Benson, W.W., W. Webb, D.W. Brock, and Joe Gabica. 1976. Mercury in Catfish and Bass from the Snake River in Idaho. Bulletin of Environmental Contamination and Toxicology, Vol. 15:5: 564-567.

- Bloom, N.S. and S.W. Effler. 1990. Seasonal Variability in the Mercury Speciation of Onondaga Lake, (New York). Water, Air, and Soil Pollution 53: 251-265, 1990.
- Bodien, D.G. 1969. Middle Snake River Study. Federal Water Pollution Control Admin, Northwest Region, Portland, Oregon. 61 p.
- Boise City Public Works (BCPW). 1997. <u>Storm Water Best Management Practices Guidebook</u>, Boise, Idaho.
- BCPW. 2001. Snake River Water Quality Assessment and Modeling Report: Murphy to Weiser, Idaho. April 2000 through October 2000. Prepared by: Brown and Caldwell Freshwater Research, June 2001. 77 p and attachments.
- Bonneville Power Administration. 1993. Irrigation Depletions 1928-1989: 1990 Level of Irrigation Snake, Yakima and Deschutes River Basins. Prepared by A.G. Crook Co. 174 p.
- Bowers, W.L., W.E. Hosford, and W.T. Moore. 1979. Stream Surveys of the Lower Owyhee and Malheur Rivers. Water Resources Committee, Malheur County Planning Office, Vale, Oregon. 14 p plus appendix.
- Brennan, T.S., A.K. Lehmann, A.M. Tungate, I. O'Dell, M.L. Jones, and W.A. Harenberg. 1999. Water Resources Data, Idaho Water Year 1999, Volume 2. Upper Columbia River Basin and Snake River Basin Below King Hill, United States Geological Survey Water Data Report, Idaho-99-2.
- Buhler, D.R. 1971. Mercury in the Western Environment. Proceedings of a Workshop Portland, Oregon, February 25-26, 1971. Environmental Health Sciences Center, Oregon State University, Corvallis, Oregon.
- Buhler, D.R., R.R. Claeys, and W.E. Shanks. 1971. Mercury in Aquatic Species from the Pacific Northwest. In: (D.R. Buhler, ed.) Mercury in the Western Environment, Proceedings of a Workshop. Portland, Oregon, February 25-26, 1971.
 - California Regional Water Quality Control Board (CRWQCB). San Francisco Bay. January 2000. TMDL and Implementation Plan for Mercury in San Francisco Bay, California.
- Carlton, R.G. and M.J. Klug. 2000. Spatial and Temporal Variations in Microbial Processes in Aquatic Sediments: Implications for the Nutrient Status of Lakes. Chapter 4 In:

 Sediments: Chemistry and Toxicity of In-Place Pollutants, (Baudo, R., J.P Giesy and H. Muntau, editors). Chelsea, Michigan: Lewis Publishers, Inc.
- Central District Health Department. 1986. Preliminary Assessment of Water Quality Impacts of Recreational Housing and Livestock Grazing in the Cascade Reservoir Watershed.

- Central District Health Department, McCall, Idaho and Idaho Department of Health and Welfare, Division of Environmental Quality, Boise, Idaho. 24 p.
- CH2MHill. 1998. Sediment Problem Assessment for the Lower Boise River TMDL. March 1998. Prepared for the Lower Boise River Water Quality Plan. 32 p plus appendices.
- Chadderton, R.A., A.C. Miller and A.J. McDonnell. 1982. Analysis of Waste Load Allocation Procedures. American Water Resources Association: Water Resources Bulletin 17:5.
- Chandler, J. and T. Richter. 2000. ER 2000 Presentation: Status, Distribution, and Limiting Factors of Redband Trout and Bull Trout Associated with the Hells Canyon Complex.
- Chandler, R. D. 1993. <u>Modeling and nonpoint source pollution loading estimates in surface water management</u>. M.S. thesis, University of Washington, Seattle, Washington.
- Chandler, R. D. 1994. Estimating Annual Urban Nonpoint Pollutant Loads. J. Manage. Engin. P 50-59.
- Chapra, S. C. 1997. Surface Water Quality Modeling. Boston: McGraw Hill.
- Cherkauer, D.S. and P.F. McKereghan. 1991. Ground-Water Discharge to Lakes: Focusing in Embayments. Ground Water 29(1): 72-80.
- Cherkauer, D.S., P.F. McKereghan, and L.H. Schalch. 1992. Delivery of Chloride and Nitrate by Ground Water to the Great Lakes: Case Study for the Door Peninsula, Wisconsin. Ground Water 30(6): 885-894.
- Childs, K.E., S.B. Upchurch, and B. Ellis. 1974. Sampling of Variable, Waste-Migration Patterns in Ground Water. Ground Water 12(6): 369-377.
- Clark, W.H. 1989. Rock Creek Rural Clean Water Program, Idaho: an example of furrow irrigated agricultural nonpoint source pollution abatement. Enviro. Health Digest. 15CIJ: 10-13. Idaho Environmental Health Association, Boise, Idaho.
- Clark, G.M. and T.R. Maret. 1998. Organochlorine compounds and trace elements in fish tissue and bed sediments in the Lower Snake River basin, Idaho and Oregon. United States Geological Survey Water Resources Investigations Report 98-4103. 35 p.
- Clark, G.M., T.R. Maret, M.G. Rupert, M.A. Maupin, W.H. Low, and D.S. Ott. 1998. Water Quality in the Upper Snake River Basin: Idaho and Wyoming, 1992-95. U.S. Geological Survey Circular 1160. 35 p.
- Clark, G.M., D.K. Muller, and M.A. Mast. 2000. Nutrient Concentrations and Yields in Undeveloped Stream Basins of the United States. Journal of the American Water Resources Association, Vol. 36, No. 4, August 2000.

- Cochnauer, T.G. 1983. Abundance, Distribution, Growth and Management of White Sturgeon (*Acipenser treansmontanus*) in the Middle Snake River, Idaho. Moscow, ID: University of Idaho. 52 p.
- Cochnauer, T.G., J.R. Lukens, and F.E. Partridge. 1985. Status of White Sturgeon, Acipenser transmontanus, in Idaho. Developments in Environment EBF 6, Dr. W. Junk Publisher, Dordrecht, Netherlands.
- Cole and Wells. 2000. CE-QUAL-W2: A Two Dimensional, Laterally Averaged, Hydrodynamic and Water Quality Model, Version 3.0 User Manual. Instruction Report EL-00-1. United States Army Corp of Engineers. August 2000.
- Cole, T.M. and E.M. Buchak. 1995. CE-QUAL-W2: <u>A Two-Dimensional, Laterally Averaged, Hydrodynamic and Water Quality Model, Version 2.0</u>. Washington, DC: United States Army Corps of Engineers. 57 p.
- Coutant, C.C. 1999. Perspectives on Temperature in the Pacific Northwest's Fresh Waters. Joint Oak Ridge National Laboratory, United States Department of Environmental Quality, United States Department of Energy publication. Oak Ridge National Lab, Oak Ridge, Tennessee. 190 p.
- Craft, D., N. Cannon, D. Zimmer, K. Krill, and L. DiMatta. 2000. Water Quality and Mercury in Lake Owyhee, Southeastern Oregon. United States Bureau of Reclamation Report. 105 p plus appendices.
- Curtis, L.R. and S.M. Allen. 1989. Dynamics and Bioaccumulation of Mercury by Fish in Oregon Lakes, Interim Report, December 31, 1989. Oak Creek Laboratory of Biology, Department of Fisheries and Wildlife, Oregon State University. 29 p.
- Davies, A., W.A. Adams and D. Wilman. 1989. Soil Compaction in Permanent Pasture and Its Amelioration by Slitting. Journal of Agricultural Science, Cambridge 1989, 113:189-197.
- de Freitas, A.S.W., S.U. Qadri and B.E. Case. 1974. Proceedings of the International Conference on Transport of Persistent Chemicals in Aquatic Ecosystems. Ottawa, Canada. p III 31 to III 36.
- Dee, L.L. 1987. *Snake River Gold*. In: Exploring Idaho Geology (Terry Maley, editor). Boise, Idaho: Mineral Land Publications. p 148-150.
- DesVoigne, D. and W. Mills. 1979. Nutrient Analysis of the Snake River and Its Major Tributaries from above Palisades Reservoir in Wyoming to Weiser, Idaho (River Mile 941 to 351). Prepared for Idaho Department of Health and Welfare, Boise, Idaho, by Parametrix, Inc. 158 p.

- D'Itri, F.M. 2000. *The Biomethylation and Cycling of Selected Metals and Metalloids in Aquatic Sediments*. Chapter 6 In: <u>Sediments</u>: <u>Chemistry and Toxicity of In-Place Pollutants</u> (Baudo, R., J.P Giesy and H. Muntau, Eds.) Chelsea, Michigan: Lewis Publishers, Inc.
- Dodds, W.K. and V.H. Smith. 1995. Managing excess chlorophyll levels in the Clark Fork River with nutrient controls. Presented to the Montana Department of Health and Environmental Sciences, February 1995. 24 p.
- Driscoll, C.T., C. Yan, C.L. Schofield, R. Munson, and J. Holsapple. 1994. The Mercury Cycle and Fish in the Adirondack Lakes. Environ. Sci. Technol., Vol. 28, No. 3, 1994.
- Dunne, T., and L.B. Leopold. 1978. Water in Environmental Planning. New York: W.H. Freeman and Company.
- Durkin, J.T., D.L. Park and R. F. Raleigh. 1971. Distribution and Movement of Juvenile Salmon in Brownlee Reservoir 1962-1965. United States Fish and Wildlife Service Fishery Bulletin 68 (2): 219-243.
- Ebel, W.J. and C.H. Koski. 1968. Physical and Chemical Limnology of Brownlee Reservoir, 1962-64. Fishery Bulletin 67 (2): 295-3435.
- Elder, D., G. Killian, and P. Koberstein. 1999. The Clean Water Act: An Owner's Manual. The River Network. Portland, Oregon. 157 p.
- Ely, T. 1970. Methyl Mercury Poisoning in Fish and Human Beings. Modern Medicine, Nov. 16, 1970. p 135-141.
- European Inland Fisheries Advisory Commission (EIFAC). 1964. Water Quality Criteria for European Freshwater Fish. Report on Finely Divided Solids and Inland Fisheries. Technical Paper Number 1.
- Eyre, Kendall. 2001. Assistant State of Idaho Veterinarian. Idaho Department of Agriculture. Personal communication with M. Bridges. February 01, 2001.
- Federal Highways Administration (FHWA). 1987. Methodology for Analysis of Pollution Loadings from Highway Storm Water Runoff. Prepared by Woodward-Clyde Consultants.
- Finch, R. 2001. Personal communication. Boise City Public Works Department, Boise Idaho.
- Foster, E.P., D.L. Drake, and G. DiDomenico. 1999. Seasonal Changes and Tissue Distribution of Mercury in Largemouth Bass (*Micropterus salmoides*) from Dorena Reservoir, Oregon. Arch. Environ. Contam. Toxicol. 38, 78-82 (2000).

- Frest, T.J. and E.J. Johannes. 2001. An annotated checklist of Idaho land and freshwater mollusks. Journal of the Idaho Academy of Sciences. Volume 36, No. 2, Dec. 2000.
- Gebhards, S., F. Shields, and S. O'Neal. 1971. Mercury levels in Idaho fishes and aquatic environments, 1970-71. ID Docs F4020.02 MER01 1970-71. State of Idaho Department of Fish and Game.
- Gilbert, R.O. 1987. Statistical Methods for Environmental Pollution Monitoring. Van Nostrand Reinhold Company.
- Gill, G.A. and K.W. Bruland. 1990. Mercury Speciation in Surface Freshwater Systems in California and Other Areas. Environ. Sci. Technol., Vol. 24, No. 9, 1990.
- Gilley, J.E., B.D. Patton, P.E. Nyren, and J.R. Simanton. 1996. Grazing and Haying Effects on Runoff and Erosion from a Former Conservation Reserve Program Site. App. Eng. in Agriculture, 12 (6), pp. 681-684.
- Gilley, J.E., D.C. Kincaid, W.J. Elliot, and J.M. Laflen. 1992. Sediment Delivery on Rill and Interrill Areas. J. Hydro. 140: 313-341.
- Gillmour, C.C., E.A. Henry, and R. Mitchell. 1992. Sulfate Stimulation of Mercury Methylation in Freshwater Sediments. Environ. Sci. Technol., Vol. 26, No. 11, 1992.
- Goodnight, W.H. 1971. Lake and Reservoir Investigations, Limnology of Brownlee 1970-1971. ID Docs F4020.21 F53R6 GOO01 1971. State of Idaho Department of Fish and Game, Boise, Idaho. 26 p.
- Grafe, C. S., M. J. McIntyre, C. A. Mebane, and D. T. Mosier. 2000. The Idaho Department of Environmental Quality water body assessment guidance, second edition. Idaho Department of Environmental Quality, Boise, Idaho. 114 p.
- Grams, P.E. 1991. Degradation of Alluvial Sand Bars along the Snake River below Hells Canyon Dam. Hells Canyon National Recreation Area, Idaho. 98 p.
- Gray, J.R., G.D. Glysson, L.M. Turcios, and G.E. Schwartz. 2000. Comparability of Suspended-Sediment Concentration and Total Suspended Solids Data. United States Geological Survey Water Resources Investigation Report # 00-4191. 13 p.
- Greenborg, A. E., L. S. Clescevi, and A. D. Eaton (editors). 1992. Standard methods for the examination of water and wastewater, 18th edition. American Public Health Association, Washington, DC.
- Groves, P.A. and J.A. Chandler. 1999. Spawning Habitat Used by Fall Chinook Salmon in the Snake River, North American Journal of Fisheries Management 19:912-922, 1999.

- Hall, B.D., R.A. Bodaly. R.J.P. Fudge, J.W.M. Rudd, and D.M. Rosenberg. 1997. Food as the Dominant Pathway of Methylmercury Uptake by Fish. Water, Air and Soil Pollution. 100: 13-24, 1997.
- Hardy, E. 1993. Lawsuit: Earl Hardy vs. Idaho Department of Health and Welfare et. al. Docket No. 0102-91-24, June 18, 1993.
- Harrison, K., 2001. DDT A Banned Insecticide. Department of Chemistry, University of Oxford, 2001. P 294. http://www.chem.ox.ac.uk/mom/ddt/ddt.html
- Hedley, M.J., J.J. Mortvedt, N.S. Bolan, and J.K. Syers. 1995. *Phosphorus Fertility Management in Agrosystems*. In: <u>Phosphorus in the Global Environment: Transfers, Cycles and Management</u>, (Tiessen, H. editor). Chichester: John Wiley and Sons.
- Hells Canyon National Recreation Area (HCNRA). 1998a. Wild and Scenic Snake River Visitor Use Report: 1993-1997. Snake River Administrative Office, Clarkston, Washington, Hells Canyon National Recreation Area. Wallowa-Whitman National Forest. May 1998.
- HCNRA. 1998b. Wild and Scenic Snake River Visitor Use Report: 1998. Snake River Administrative Office, Clarkston, Washington, Hells Canyon National Recreation Area. Wallowa-Whitman National Forest. 1998.
- HCNRA. 1999a. Wild and Scenic Snake River Visitor Use Report: 1999. Snake River Administrative Office, Clarkston, Washington, Hells Canyon National Recreation Area. Wallowa-Whitman National Forest. 1999.
- HCNRA. 1999b. Wild and Scenic Snake River, Recreation Management Plan. Hells Canyon National Recreation Area. Wallowa-Whitman National Forest, January 1999.
- Henderson, C. A. Inglis, and W.L. Johnson, 1972. Mercury residues in Fish, 1969-1970 National Pesticide Monitoring Program. Pesticides Monitoring Journal 6:144-159.
- Henry, E.A., L.J. Dodge-Murphy, G.N. Bigham, S.M. Klein, and C.C. Gilmour. 1995. Total Mercury and Methylmercury Mass Balance in an Alkaline, Hypereutrophic Urban Lake (Onondaga Lake, New York). Water, Air, and Soil Pollution 80: 509-518, 1995.
- Hill, S. 1973. Study of Mercury and Heavy Metals Pollutants in the Jordan Creek Drainage, Grant Number GY/10816. Student Originated Studies, National Science Foundation, College of Mines, University of Idaho, Moscow, Idaho. 111 p.
- Hillbricht-Ilkowska, A., L. Ryszkowski, and A. N. Sharpley. 1995. *Phosphorus Transfers and Landscape Structure: Riparian Sites and Diversified Land Use Patterns*. Chapter 12 In: Tiessen, H. Ed. <u>Phosphorus in the Global Environment: Transfers, Cycles and Management.</u> Chichester: John Wiley & Sons.

- Hydrologic Information Storage and Retrieval System (HISARS). 1983. Summary precipitation data for Brownlee Dam area (1966-1981), data sheets.
- Horne, A.J and C.R. Goldman. 1994. Limnology. Second Edition. McGraw Hill, New York. p 464-473.
- House, W.A., F.H. Denison, J.T. Smith, and P.D. Armitage. 1994. An Investigation of the Effects of Water Velocity on Inorganic Phosphorus Influx to a Sediment. Environmental Pollution, Vol 89, No 3, p 263-271, 1995.
- Hovland, R.D. and S.W. Moore. 1987. *Phosphate Resources in Southeastern Idaho*. In: <u>Exploring Idaho Geology</u>, (Maley, T. editor). Boise, Idaho: Mineral Land Publications. P 148-155.
- Hughes, R. M. 1995. *Defining acceptable biological status by comparing with reference condition*. In: <u>Biological Assessment and Criteria</u>: <u>Tools for Water Resource Planning</u>, (Davis, W.S. and T.P. Simon, editors). Boca Raton, Florida: CRC Press. p 31-48.
- Hurley, J.P. 1995. Influences of Watershed Characteristics on Mercury Levels in Wisconsin Rivers. Environmental Science & Technology: Vol 29, No. 7, 1867-1875, 1995.
- Hutchison, J.M. and J.D. Fortune, Jr. 1967. The fish and wildlife resources of the Malheur River Basin and their water requirements. Federal Aid to Fish Restoration, Investigations Project F-69-R-5, Job No. 3, Oregon State Game Commission, Portland, Oregon. 45 p.
- Idaho Administrative Procedures Act (IDAPA) 58.01.02. Idaho water quality standards and wastewater treatment requirements.
- Idaho Code § 39.3611. Development and implementation of total maximum daily load or equivalent processes.
- Idaho Code § 3615. Creation of watershed advisory groups.
- Idaho Department of Commerce (IDC). 1999. Profile of Rural Idaho. Boise, Idaho: Idaho Department of Commerce, Division of Economic Development.
- IDC. 2000. C. Becia. Personal communication. Idaho Department of Commerce. Travel Council.
- Idaho Division of Environmental Quality (IDEQ). 1975. Water Quality Status Report, Bruneau River, Owyhee County, Idaho, 1975. Water Quality Series No. 36. Idaho Department of Health and Welfare, Division of Environmental Quality. 85 p.
- IDEQ. 1978. Water Quality Status Report, Owyhee River, Owyhee County, Idaho, 1978. Water Quality Series No. 35. Idaho Department of Health and Welfare, Division of Environmental Quality, Boise, Idaho. 73 p.

- IDEQ. 1983. Water Quality Status Report: Lower Boise River Drains, Canyon County, Idaho.Idaho Dept. of Health and Welfare, Division of Environmental Quality, Boise, Idaho.101 p.
- IDEQ. 1985. Water Quality Status Report: Lower Weiser River, Washington County, Idaho. Water Quality Series No. 53. Idaho Department of Health and Welfare, Division of Environmental Quality, Boise, Idaho. 81 p.
- IDEQ. 1986. Idaho Water Quality Status Report 1986. Idaho Department of Health and Welfare, Division of Environmental Quality, Water Quality Bureau, Boise, Idaho. 48 p.
- IDEQ. 1988a. Lake Irrigation District Survey and Cascade Reservoir Tributary Assessment, Valley County, Idaho 1986. Water Quality Status Report No. 79. Idaho Department of Health and Welfare, Division of Environmental Quality, Boise, Idaho. 46 p.
- IDEQ. 1988b. Idaho Water Quality Status Report and Nonpoint Source Assessment. Idaho Department of Health and Welfare, Division of Environmental Quality, Boise, Idaho. 170 p.
- IDEQ. 1989. Water Quality Status Report No. 85: Citizen's Volunteer Monitoring Program, Cascade Reservoir, Valley County, Idaho, 1988. Idaho Department of Health and Welfare, Division of Environmental Quality, Boise, Idaho. 12 p.
- IDEQ. 1990. Protocols for Assessment of Dissolved Oxygen, Fine Sediment and Salmonid Embryo Survival in an Artificial Redd. Water Quality Monitoring Protocols – Report No. l, Idaho Department of Health and Welfare, Division of Environmental Quality, Boise, Idaho. 24 p.
- IDEQ. 1991. Water Quality Status Report No 100, Cedar Draw, Twin Falls County, Idaho, 1982-1988. Idaho Department of Health and Welfare, Idaho Division of Environmental Quality, Boise, Idaho. 254 p.
- IDEQ. 1993a. Idaho Agricultural Pollution Abatement Plan: 1991. Idaho Department of Health and Welfare, Division of Environmental Quality and Idaho Department of Lands, Soil Conservation Commission.
- IDEQ. 1993b. Water Quality Conditions in the Lower Snake River during Low River Flows. Idaho Dept. of Health and Welfare, Division of Environmental Quality, Boise, Idaho. 33 p.
- IDEQ. 1994. Mercury data collected 1994 through 1997.
- IDEQ. 1996. Ground Water Study of the Lower Boise River Valley, Ada and Canyon Counties, Idaho. Idaho Department of Health and Welfare, Division of Environmental Quality, Boise, Idaho. 37 p.

- IDEQ. 1997a. 1996 Water Quality Status Report. Idaho Department of Health and Welfare, Division of Environmental Quality, Water Quality and Remediation Division, Boise, Idaho. 58 p plus appendices.
- IDEQ. 1997b. Environmental Planning Tools and Techniques: Linking Land Use and Water Quality through Community-based Decision Making. Idaho Department of Health and Welfare, Division of Environmental Quality, Storm Water Program.
- IDEQ. 1997c. The Middle Snake River Watershed Management Plan: Phase 1 TMDL, Total Phosphorus. March 25, 1997 (minor revisions January 29, 1998). Idaho Division of Environmental Quality, Twin Falls Regional Office, Twin Falls, Idaho. 278 p.
- IDEQ. 1998a. Lower Boise River TMDL Subbasin Assessment, Total Maximum Daily Loads, December 18, 1998 (revised September 29, 1999). Idaho Department of Health and Welfare, Division of Environmental Quality, Boise, Idaho.
- IDEQ. 1998b. Cascade Reservoir Phase II Watershed Management Plan. December 1998. Idaho Department of Health and Welfare, Division of Environmental Quality, Boise, Idaho.
- IDEQ. 1998c. Middle Fork Payette River TMDL. Idaho Department of Health and Welfare, Division of Environmental Quality, Boise, Idaho.
- IDEQ. 1999a. State of Idaho Guidance for Development of Total Maximum Daily Loads. June 8, 1999. Water Quality Programs / Surface Water Section, Idaho Department of Health and Welfare, Division of Environmental Quality, Boise, Idaho. 46 p.
- IDEQ. 1999b. Lower Payette River Subbasin Assessment and Total Maximum Daily Load; December 1999. Idaho Department of Health and Welfare, Division of Environmental Quality, Boise, Idaho.
- IDEQ. 1999c. South Fork Owyhee River Subbasin Assessment and Total Maximum Daily Load. December 1999. Idaho Department of Health and Welfare, Division of Environmental Quality, Boise, Idaho.
- IDEQ. 1999d. Portneuf River TMDL –Waterbody Assessment and Total Maximum Daily Load. March 1999. Idaho Department of Environmental Quality, Pocatello Regional Office, Pocatello, Idaho.
- IDEQ. 1999e. Hells Canyon Group Key Watersheds Bull Trout Problem Assessment. Southwest Basin Native Fish Technical Group, Idaho Department of Health and Welfare, Division of Environmental Quality, Boise, Idaho. 49 p.
- IDEQ. 2000a. North and Middle Forks of the Owyhee River Subbasin Assessment and Total Maximum Daily Load. December 2000. Boise Regional Office, Idaho Division of Environmental Quality, Boise, Idaho.

- IDEQ. 2000b. Coeur d' Alene River Subbasin Assessment and Total Maximum Daily Load. December 2000. Lewiston Regional Office, Idaho Department of Environmental Quality, Lewiston, Idaho.
- IDEQ. 2000c. Draft Source Water Assessment.
- IDEQ. 2000d. Upper Snake Rock Subbasin Assessment and the Upper Snake Rock Total Maximum Daily Load, October, 1999. Twin Falls Regional Office, Idaho Division of Environmental Quality, Twin Falls, Idaho.
- IDEQ. 2001a. Water Quality Standards and Wastewater Treatment Requirements. Docket No. 58-0102-0103, Notice of Proposed Rulemaking. Idaho Administrative Bulletin, Vol. 01-8, p 136-164.
- IDEQ. 2001b. Blackfoot River TMDL Water Body Assessment and Total Maximum Daily Load. April 2001. Pocatello Regional Office, Idaho Department of Environmental Quality, Pocatello, Idaho.
- IDEQ. 2002. Water Body Assessment Guidance (WBAG). January 2002. Second Edition final. Idaho Department of Environmental Quality, Boise, Idaho.
- Idaho Department of Fish and Game (IDFG). 1961. Miscellaneous tables and information provided through John Yearsley, United States Environmental Protection Agency, 2000.
- IDFG. 1962. General Investigations in Water Quality. Federal Aid to Fish Restoration, Annual Progress Report. Investigations Project F 34-R-4. Idaho Department of Fish and Game, Boise. Idaho. 74 p.
- IDFG. 1964. Water Quality Investigations F-34-R-5. Job No. 1 General Investigations in Water Quality; Job No. 2 Toxicity Studies on the Effects of Pesticides and other Chemicals on Fish and Fish-Food Organisms. April 10, 1964.
- IDFG. 1973a. Survey of Angler Use and Harvest in Snake River above Brownlee Reservoir (Job IIIa). Federal Aid to Fish Restoration, Snake River Fisheries Investigations Job Progress Report F-63-R-2. 29 p.
- IDFG. 1973b. Survey of Fish Populations in the Snake River above Brownlee Reservoir (Job IIIb). Federal Aid to Fish Restoration, Snake River Fisheries Investigations Job Progress Report F-63-R-2. 32 p.
- IDFG. 1992. Phase I Water Rental Pilot Project: Snake River Resident Fish and Wildlife Resources and Management Recommendations. Funded by Bonneville Power Administration, Portland, Oregon, Project No. 91-067. 125 p.

- IDFG. 1994. Phase II Water Rental Pilot Project: Snake River Resident Fish and Wildlife Resources and Management Recommendations. Funded by Bonneville Power Administration. Portland, Oregon. Project No. 91-067. 125 p.
- IDFG. 2000. D. Anderson, fisheries biologist (now with National Marine Fisheries Service, Boise, Idaho). Personal communication. Idaho Department of Fish and Game, McCall, Idaho.
- IDFG Idaho Department of Health and Welfare (IDHW). 1971-1979. Miscellaneous data tables and information on fish tissue sampling efforts and results provided through M. Abrams, Oregon Department of Environmental Quality, and D. Buhler, Oregon State University, 2000.
- Idaho Department of Water Resources (IDWR). 1985. Snake Plain Aquifer Technical Report. IDWR, Idaho Department of Health and Welfare. 117 p. plus appendices.
- IDWR. 2000. Flow and water usage data.
- Idaho Museum of Natural History (IMNH). 2002. Digital Atlas of Idaho. http://imnh.isu.edu/digitalatlas/bio
- Idaho Power Company (IPCo). 1971. Brownlee-Oxbow Project 1971. Fish Counts and Operational Data. Idaho Power Company, Boise, Idaho.
- IPCo. 1981. Swan Falls Hydroelectric Project. Second Amended Application for New License: Project No. 503. October 1981. Idaho Power Company, Boise, Idaho.
- IPCo. 1989. 1989 Supplement to Second Amended Application for New License: Project No. 503. Idaho Power Company, Boise, Idaho.
- IPCo. 1992. Aquatic Macroinvertebrate Survey of Nine Tributaries to the Snake River between Swan Falls Dam and Hells Canyon Dam, November, 1991: A Biological Assessment of Environmental Conditions. Idaho Power Company, Boise, Idaho.
- IPCo. 1997a. Brownlee Reservoir Water Quality Model Development. Idaho Power Company, Boise, Idaho. 26 p plus figures.
- IPCo. 1997b. Pollutant Transport and Processing in the Hells Canyon Complex. Idaho Power Company, Boise, Idaho. 66 p.
- IPCo. 1997c. Oxbow Bypassed Reach Water Quality Study, Draft Project Progress Report. Idaho Power Company, Boise, Idaho. 16 p.
- IPCo. 1997d. Brownlee Reservoir Water Quality Model Response to Nutrient and Algae Inflow Concentrations. Idaho Power Company, Boise, Idaho. 19 p.

- IPCo. 1998a. Algae and Nutrient Relationships in the Lower Snake River. Idaho Power Company, Boise, Idaho. 26 p plus appendices.
- IPCo. 1998b. Tributary Nutrient Loadings to the Snake River, Swan Falls to Farewell Bend, March through October 1995. Idaho Power Company, Boise, Idaho. 26 p.
- IPCo. 1998c. Hells Canyon Complex Total Dissolved Gas Study, Draft Project Progress Report. Idaho Power Company, Boise, Idaho. 23 p.
- IPCo. 1999a. Descriptive Limnology of the Hells Canyon Complex (Project Progress Report, November 1999). Idaho Power Company, Boise, Idaho. 26 p plus appendices.
- IPCo. 1999b. Hells Canyon Complex Total Dissolved Gas Study, Draft Project Progress Report, March 1999. Idaho Power Company, Boise, Idaho. 29 p plus appendices.
- IPCo. 1999c. Pollutant Transport and Processing in the Hells Canyon Complex, Project Progress Report 1999. Idaho Power Company, Boise, Idaho. 26p.
- IPCo. 1999d. 1999 Status Report on Brownlee Reservoir Water Quality and Model Development. Idaho Power Company, Boise, Idaho. 70 p plus appendices.
- IPCo. 1999e. Oxbow Bypassed Reach Water Quality Study (draft). Idaho Power Company, Boise, Idaho. 21 p.
- IPCo. 1999f. Hells Canyon Complex Total Dissolved Gas Study. Draft Project Progress Report. September 1999. Idaho Power Company, Boise, Idaho. 30 p plus appendices.
- IPCo. 1999g. Summary of Snake River Data Collection, CJ Strike to Hells Canyon Tailrace. Idaho Power Company, Boise, Idaho. 10 p.
- IPCo. 2000a. 2000 Status Report on Southwest Snake River Water Quality and Model Development. Draft Peer Review Report. IPCo, Boise, Idaho. 54 p plus appendices.
- IPCo. 2000b. D. Wood. Personal communication. Idaho Power Company, Boise, Idaho.
- IPCo. 2000c. Summary data from Hells Canyon Complex monitoring efforts (1991 to 1999). Idaho Power Company, Boise, Idaho.
- IPCo. 2000d. Brownlee Reservoir, Snake River and tributary bed-sediment contaminants. Draft Technical Memorandum. Oct. 19, 2000. CH2M Hill. Boise, Idaho. 7 p.
- IPCo. 2000e. Hells Canyon Hydroelectric Relicensing, Environmental Report 2000. Idaho Power Company, Boise, Idaho.

- IPCo. 2001a. R. Myers and T. Shinn. Personal communication. Idaho Power Company, Boise, Idaho. Map of endangered species habitats within the Snake River and data collected as part of the Hells Canyon Complex FERC relicensing application process.
- IPCo. 2001b. R. Myers and J. Harrison. Personal communication. Idaho Power Company, Boise Idaho.
- IPCo. 2001c. Existing Habitat Conditions of the Mainstem Snake River Formerly Used by Anadromous Fish. Idaho Power Company, Boise, Idaho.
- IPCo. 2001d. Physical Habitat Use and Water Quality Criteria for Snake River White Sturgeon. Idaho Power Company, Boise, Idaho.
- IPCo. 2001e. Timing and Distribution of Fall Chinook Salmon Spawning Downstream of the Hells Canyon Complex. Technical Report Appendix E.3.1-3. Chapter 1. Idaho Power Company, Boise, Idaho. December 2001.
- IPCo. 2001f. Physical Habitat and Water Quality Criteria For Chinook Salmon Associated with the Hells Canyon Complex. Technical Report Appendix E.3.1-3. Chapter 2. Idaho Power Company, Boise, Idaho. December 2001.
- IPCO. 2001g. Status, Distribution and Limiting Factors of Redband Trout and Bull Trout Associated with the Hells Canyon Complex. J. Chandler, T. Richter. IPCo presentation to the Aquatic Work Group, 2001.
- IPCo. 2002. J. Chandler. Personal communication. Idaho Power Company, Boise, Idaho.
- IPCO. 2002b. Idaho Power Company Comments on the December 2001 Draft Snake River Hells Canyon TMDL, Attachment 11: Preliminary 1995 Snake River Model Simulations Assessing Natural Water Temperature Increases. Prepared by R. Myers (IPCo), J. Harrison (HyQual), M. Kasch (HDR) and S. Wells (PSU-QC). April 19, 2002.
- Idaho Water Resources Board (IWRB). 1996. Idaho State Water Plan. www.idwr.state.id/planpol/watplan/planning/state_plan.pdf
- Jansson, M. 1988. Phosphate Uptake and Utilization by Bacteria and Algae. Hydrobiologia 170: 177-189.
- Jaworski, N.A. and O. Villa, Jr. 1981. *A Suggested Approach for Developing Estuarine Water Quality Criteria for Management of Eutrophication*. In: Nielsen, B.J., and L.E. Cronin, editors. <u>Estuaries and Nutrients</u>. Clifton, New Jersey: Humana Press. p 499.
- Jernelov, A. and H. Lann. 1971. Mercury Accumulation in Food Chains. Oikos 22: 403-406. Copenhagen.

- Johnson, E and K.A. Anderson. 2000. Food Safety and Environmental Stewardship Program. Department of Environmental and Molecular Toxicology, Oregon State University, Corvallis, Oregon.
- Johnstone, T.A, R.A. Bodaly, and J.A. Mathias. 1991. Predicting Fish Mercury Levels from Physical Characteristics of Boreal Reservoirs. Can. HJ. Fish. Aquat. Sci. 48: 1468-1475.
- Jones, J.A. 1993. *Soils*. In: <u>Atlas of the Pacific Northwest</u> (Jackson, P.L. and A.J. Kimerling, eds). OSU Press, Corvallis, Oregon. p 66-70.
- Karr, J. R. 1991. Biological integrity: a long-neglected aspect of water resource management. Ecological Applications. 1:66-84.
- Khaleel, R., K.R. Reddy, and M.R. Overcash. 1980. Transport of Potential Pollutants in Runoff Water from Land Areas Receiving Animal Wastes: A Review. Water Res. 14: 421-436.
- Kidd, K.A., R.H. Hesslein, R.J.P. Fudge, and K.A. Hallard. 1995. The Influence of Trophic Level as Measured by δ15N on Mercury Concentrations in Freshwater Organisms. Water, Air, and Soil Pollution 80: 1011-1015, 1995.
- Kjelstrom, L.C. 1986. Flow Characteristics of the Snake River and Water Budget for the Snake River Plain, Idaho and Eastern Oregon. 1:1,000,000 Atlas HA-680. United States Geological Survey, Reston, Virginia.
- Kjelstrom, L.C. 1995. Streamflow Gains and Losses in the Snake River and Ground-Water Budgets for the Snake River Plain, Idaho and Eastern Oregon. United States Geological Survey Professional Paper 1408-C. 47 p.
- Klyashtorin, L.B. The Sensitivity of Young Sturgeons to Oxygen Deficiency. VNIRO, Moscow. p 677-682.
- Koerber, S. 1995. Mercury in the Owyhee River Basin: Oregon, Idaho and Nevada (data summary report). University of Idaho, Moscow, Idaho. 61 p.
- Krcma, R.F. and R.F. Raleigh. 1970. Migration of Juvenile Salmon and Trout into Brownlee Reservoir, 1962-1965. Fishery Bulletin: Vol. 68, No. 2, p 203-217.
- Kreizenbeck, R.R. Hauck and D. Houck. 1975. Upper / Middle Snake River Basin Status Report. Surveillance and Analysis Division, EPA Region X, Seattle, Washington.
- Lacerda, L.D.; De Paula, F.C.F.; Ovalle, A.R.C.; Pfeiffer, W.C.; Malm, O. 1990. Trace Metals in Fluvial Sediments of the Madeira River Watershed, Amazon, Brazil. The Science of the Total Environment, Vol. 97/98, p525-530.

- Laird, L.B. 1964. Chemical Quality of the Surface Waters of the Snake River Basin. Geological Survey Professional Paper 417-D. United States Government Printing Office, Washington, 1964.
- Lambing, J.H., W.E. Jones and J.W. Sutphin. 1988. Reconnaissance Investigation of Water Quality, Bottom Sediment, and Biota Associated with Irrigation Drainage in Bowdoin National Wildlife Refuge and Adjacent Areas of the Milk River Basin, Northeastern Montana, 1986-87. United States Geological Survey, Water-Resources Investigations Report 87-4243. 62 p.
- Landrum, P.F. and J.A. Robbins. 1990. *Bioavailability of Sediment-Associated Contaminants to Benthic Invertebrates*. Chapter 8 In: <u>Sediments: Chemistry and Toxicity of In-Place Pollutants</u>, (Baudo, R., J.P Giesy and H. Muntau, editors). Chelsea, Michigan: Lewis Publishers, Inc.
- Lappin, J.L. and W.H. Clark. 1986. An Assessment of Water Quality Impacts of Recreational Housing and Livestock Grazing in the Cascade Reservoir Watershed. J. Idaho Acad. Sci. 22 (2): 45-62.
- Leitzinger, E. 1997. Idaho Water Rental Pilot Project Probability / Coordination Study: Resident Fish and Wildlife Impacts – Phase III Annual Report 1996. BPA, Division of Fish and Wildlife Project No. 91-067, December 1997. 40 p.
- Leitzinger, E. 1998. Idaho Water Rental Pilot Project Probability / Coordination Study: Resident Fish and Wildlife Impacts Phase III Annual Report. BPA, Division of Fish and Wildlife Project No. 91-067, October 1998. 17 p plus appendices.
- Leitzinger, E. 2000. Idaho Water Rental Pilot Project Probability / Coordination Study: Resident Fish and Wildlife Impacts Phase III Annual Report. BPA, Division of Fish and Wildlife Project No. 91-067, January 2000. 17 p plus appendices.
- Lindsay, W.L. 1979a. *Phosphates*. Chapter 12 In: <u>Chemical Equilibria in Soils</u>. New York: John Wiley & Sons. p 163-205.
- Lindsay, W.L. 1979b. *Methods of Handling Chemical Equilibria*. Chapter 2 In: <u>Chemical Equilibria</u> in Soils. New York: John Wiley & Sons. p 11-33.
- Link, P.K., D.S. Kaufman, and G.D. Thackray. 1999. *Field Guide to Pleistocene Lakes Thatcher and Bonneville and the Bonneville Flood, southeastern Idaho*. In Hughes, S.S., and G.D. Thackray, editors. <u>Guidebook to the Geology of Eastern Idaho</u>. Idaho Museum of Natural History, Boise, ID. p. 251-266
- Louchouarn, P., M. Lucotte, A. Mucci, and P. Pichet. 1993. Geochemistry of Mercury in Two Hydroelectric Reservoirs in Quebec, Canada. Can. J. Fish. Aquat. Sci., vol. 50, 1993, p 269-281.

- Low, W.H. and W.H. Mullins. 1990. Reconnaissance Investigation of Water Quality, bottom Sediment, and Biota Associated with Irrigation Drainage in the American Falls Reservoir Area, Idaho, 1988-89. United States Geological Survey Water-Resources Investigations Report 90-4120, Boise, Idaho. 78 p.
- Malheur County Planning Office. 1979. Progress Report First Year Sampling Program (Malheur and Owyhee). Malheur Co., NPSWQMPP, Malheur County Planning Office, Vale, Oregon. 70 p.
- Malheur County. 1978. Technical Inventory Report for May to September 1978 (Malheur and Owyhee).
- Malheur County. 1981. Two-year Sampling Program, Malheur County Water Quality Management Plan, 1981.
- Malheur County. 2000. Draft Watershed Management Plans.
- Malheur River Basin Local Advisory Committee (MRBLAC). 2000. Malheur River Basin Agricultural Water Quality Management Area Plan (Draft).
- Malheur-Owyhee Watershed Council (MOWC). 1999. Malheur Basin Action Plan.
- Mann, G.M. 1989. Seismicity and Late Cenozoic faulting in the Brownlee Dam area Oregon-Idaho: A preliminary report. United States Geological Survey Open File Report 89-429.
- Mapfumo, E., D.S. Chanasyk, M.A. Naeth, and V.S. Baron. 1999. Soil Compaction under Grazing of Annual and Perennial Forages. Can. J. Soil Sci., 79 (1), p 191-199, maps (2).
- Maret, T.R. 1995a. Mercury in Streambed Sediment and Aquatic Biota in the Upper Snake River Basin, Idaho and Western Wyoming, 1992. U.S. Geological Survey, 1995. FS-089-95.
- Maret, T. R. 1995b. Water-Quality Assessment of the Upper Snake River Basin, Idaho and Western Wyoming-Summary of Aquatic Biological Data for Surface Water through 1992. United States Geological Survey Water-Resources Investigations Report 95-4006, Vol. 4006. 59 p.
- Maret, T. R. and D.S. Ott. 1997. Organochlorine Compounds in Fish Tissue and Bed Sediment in the Upper Snake River Basin, Idaho and Western Wyoming. United States Geological Survey Water-Resources Investigations Report 95-4006, Vol. 4080, Boise, Idaho. 23 p.
- Mason, R.P. and K.A. Sullivan. 1997. Mercury in Lake Michigan. Environmental Science and Technology 31(3). p 942-947.
- Matilainen, T. 1995. Involvement of Bacteria in Methylmercury Formation in Anaerobic Lake Waters, Water, Air, and Soil Pollution, 80: 757-764, 1995.

- Mauldin, G., R. Miller, J. Gallagher, and R.E. Speece. 1988. Injecting an Oxygen Fix. Civil Engineering, 0885-7024/88-0003-0054, March, 1988. P 54-56.
- McKelvey, V.E. 1973. *Abundance and Distribution of Phosphorus in the Lithosphere*. Chapter 2 In: Griffith, E.J., A. Beeton, J.M. Spencer, and D.T. Mitchell, editors. <u>The Environmental Phosphorus Handbook.</u> New York: John Wiley and Sons.
- McKim J.M., G.F. Olson, G.W. Holcombe, and E.P Hunt. 1976. Long-Term Effects of Methylmercuric Chloride on Three Generations of Brook Trout (*Salvelinus fontinalis*): Toxicity, Accumulation, Distribution, and Elimination. United States Environmental Protection Agency, Environmental Research Laboratory-Duluth, Minnesota. P 2726-2739.
- Medical Academic and Scientific Community Organization, Inc. (MASCO). 2001. Mercury Work Group, Phase II Reports, Technology Identification Subgroup Report, IV. Species of Mercury in wastewater (http://www.masco.org/mercury/techid/species.html) and Mercury Free NIH Campaign: Mercury Health Hazards. (http://www.nih.gov/od/ors/ds/nomercury/health.htm).
- Monan, G.E., R.J. McConnell, J.R. Pugh and J.R. Smith. 1969. Distribution of Debris and Downstream-Migrating Salmon in the Snake River above Brownlee Reservoir. United States Fish and Wildlife Service: Trans American Fish Society Vol. 98, No. 2. P 239-244.
- Moody, D.W., J. Carr, E.B. Chase, and R.W. Paulson. 1986. National Water Summary 1986 Hydrologic Events and Ground-Water Quality, Water-Supply Paper #2325. United States Geological Survey, Reston, Virginia.
- Moore, A.M. 1964. Compilation of Water-Temperature Data for Oregon Streams. United States Geological Survey, Portland, Oregon. 25 p.
- Moore, H.R. 1961. Personal communication and enclosures to Idaho Power Company, Boise, Idaho.
- Mulholland, B. and M.A. Fullen. 1991. Cattle Trampling and Soil Compaction on Loamy Sands. Soil Use and Management Volume 7, Number 4, December 1991. P 189-193.
- Mullins, W.H. 1998. Water-Quality Conditions of the Lower Boise River, Ada and Canyon Counties, Idaho, May 1994 through February 1997. Water-Resources Investigations Report 98-4111. United States Geological Survey, Boise, Idaho. 32 p.
- National Academy of Sciences (NAS) and National Academy of Engineering (NAE). 1973. Water Quality Criteria 1972. United States Environmental Protection Agency Ecological Research Series Report R3-73-003, Washington, DC.

- National Marine Fisheries Service (NMFS). 1996. Factors for Decline (West Coast Steelhead). National Marine Fisheries Service, Portland, Oregon. 83 p.
- National Toxicology Program (NTP). 2001. National Institutes of Health (NIHS). Research Triangle Park, North Carolina.
- National Wildlife Federation (NWF). 1997. Guy Williams, Great Lakes Field Office, July 1997. www.nwf.org/greatleakes/resources/mercury.html
- Natural Resources Conservation Service (NRCS). 1995a. A Phosphorus Assessment Tool, Idaho Technical Note Tri-Water Quality #1, Agri-Chemical Management for Water Quality. Natural Resource Conservation Service, Boise, Idaho.
- NRCS. 1995b. Range Technical Note, Riparian Appraisal and Aquatic Habitat Evaluation. Technical Note Number ID-67. Natural Resources Conservation Service, Boise, Idaho.
- NRCS. 2000. Preliminary Investigation, Southern Washington County Water Quality Project, Washington County, Idaho. United States Dept. of Agriculture Natural Resources Conservation Service for: Weiser River Soil and Water Conservation District.
- NRCS. 2001. Nebraska Field Office Technical Guide, Section 4: Conservation Practice Standards, United States Department of Agriculture-National Resources Conservation Service, Nebraska State Office, Lincoln, Nebraska.
- Natural Resources Consulting Engineers, Inc. (NRCE). 1996. Analysis Summary Report: Cascade Reservoir Irrigation Management Plan. Fort Collins, Colorado. 51 p.
- National Climatic Data Center (NCDC). 1998. West 2 (CDs for Idaho and Oregon data); EarthInfo, Inc.; Boulder, Colorado.
- Newcombe, C.P. and J.O.T. Jensen. 1996. Channel suspended sediment and fisheries: A synthesis for quantitative assessment of risk and impact. North Amer. J. Fisheries Manage. Vol. 16 (4): 693 –727.
- Newell, A.J., D.W. Johnson and L.K. Allen. 1987. Niagara River Biota Contamination Project: Fish Flesh Criteria for Piscivorous Wildlife. Division of Fish and Wildlife, Bureau of Environmental Protection, Technical Report 87-3.
- North Carolina State University (NCSU). 1994. WATERSHEDSS, Water Quality Decision Support System. North Carolina State University, North Carolina Cooperative Extension, Department of Biological and Agricultural Engineering in cooperation with the Center for AI Applications in Water Quality, The Pennsylvania State University, Agricultural and Biological Engineering Department, June 1994. http://h2osparc.wq.ncsu.edu/

- Northcote, T.G. and G.L. Ennis. 1994. Mountain whitefish biology and habitat use in relation to compensation and improvement possibilities. Rev. Fish. Sci. 2:347-371.
- Nowell, L.H. and E.A. Resek. 1994. Summary of National Standards and Guidelines for Pesticides in Water, Bed Sediment, and Aquatic Organisms and Their Application to Water-Quality Assessments. United States Geological Survey Open-File Report 94-44. 115 p.
- Nriagu, J.O. 1979. *Production and Uses of Mercury*. Chapter 2 In: <u>The Biogeochemistry of Mercury in the Environment</u>. Elsevier: North-Holland Biomedical Press.
- Nurnberg, G.K. 1995. Quantifying anoxia in lakes. Limnol. Oceanogr., 40(6), 1995, 1100-1111.
- Nurnberg, G.K. 1998. Prediction of annual and seasonal phosphorus concentrations in stratified and polymictic lakes. Limnol. Oceanogr. 43(7), 1998, 1544-1552.
- Olness, A., S.J. Smith, E.D. Rhoades, and R.D. Menzel. 1975. Nutrient and Sediment Discharge from Agricultural Watersheds in Oklahoma. J. Environ. Qual. 4 (3): 331-336.
- Omernik, J.M., A.R. Abernathy, and L.M. Male. 1981. Stream Nutrient Levels and Proximity of Agricultural and Forest Land to Streams: Some Relationships. J. Soil Water Conser.: 227-231.
- Oregon Department of Environmental Quality (ODEQ). 1999. Oregon Department of Environmental Quality Permits Handbook. ODEQ, Portland, Oregon.
- ODEQ. 2000a. NPDES listings available at: www.waterquality.deq.state.or.us/SIS/data/basinlist.asp.
- ODEQ. 2000b. Draft Northern Malheur County, Ground Water Management Area Trend Analysis Report, Portland, Oregon.
- Oregon Department of Fish and Wildlife (ODFW). 2001. J. Zakel and R. Perkins. Personal communication.
- Oregon Division of Water Supply and Pollution Control (ODWSPC). 1961. Water Quality Studies, Brownlee Reservoir, Snake River (Summary Report), Working Paper 16. Public Health Service, Portland, Oregon. 71 p.
- Orodho, A.B., M.J. Trlica, and C.D. Bonham. 1990. Long Term Heavy Grazing Effects on Soil and Vegetation in the Four Corners Area, Southwest Nat., 35 (1). P 9-14.
- Orr, E.L., W.N. Orr, and E.M. Baldwin. 1992. <u>Geology of Oregon</u>. Dubuque, Iowa: Kendall/Hunt Publishing Company. ISBN #0-8403-8058-5. 254 p.

- Osborne, P.L, J.H. Kyle, and M.S. Abramski. 1987. Effects of Seasonal Water Level Changes on the Chemical and Biological Limnology of Lake Murray, Papua New Guinea. Aust. J. Mar. Freshw. Res., 1987, 38, 397-408.
- Pacific States Marine Fisheries Commission. 1992. White Sturgeon Management Framework Plan. August White Sturgeon Planning Committee, Pacific States Marine Fisheries Commission, Portland, Oregon. 194 p.
- Park, J.G. and L.R. Curtis. 1997. Mercury Distribution in Sediments and Bioaccumulation by Fish in Two Oregon Reservoirs: Point-Source and Nonpoint-Source Impacted Systems. Archives of Environmental Contamination and Toxicology, 33:423-429.
- Pesticide Management Education Program (PMEP). 2001. Cornell University. http://pmep.cce.cornell.edu/
- Phillips, D. J. H. 1987. Toxic contaminants in the San Francisco Bay-Delta and their possible biological effects. Draft report, San Francisco Bay-Delta Aquatic Habitat Institute, Richmond, California. 413 p.
- Phillips, G.R. 1975. <u>Some quantitative aspects of mercury accumulation by rainbow trout</u>. Doctoral thesis, Oregon State University. 90 p.
- Pilgrim, K., D. Sanders, and T. Dupuis. 2001. Relationship Between Chlorophyll *a* and Beneficial Uses. CH2MHill. Boise, ID. 10 p.
- Platts, W.S. 1983. Vegetation Requirements for Fisheries Habitats. In: Managing Intermountain Rangelands Improvement of Range and Wildlife Habitats. United States Department of Agriculture Forest Service, General Technical Report INT-157, Ogden, Utah.
- Platts, W.S. and R.L. Nelson. 1985a. Impacts of Rest-Rotation Grazing on Stream Banks in Forested Watersheds in Idaho. N. Amer. J. Fish. Manage. 5: 547-556.
- Platts, W.S. and R.L. Nelson. 1985b. Streamside and Upland Vegetation Use by Cattle. Rangelands 7 (1): 5-7.
- Porcella, D.B. 1994. *Mercury in the Environment: Biogeochemistry*. Chapter 1.1 In: <u>Mercury Pollution</u>: Integration and Synthesis. 1-56670-066-3/94.
- Porvari, P. and M. Verta. 1995. Methylmercury Production in Flooded Soils: A Laboratory Study. Water, Air, and Soil Pollution 80: 765-773, 1995.
- Postma, F.B., A.J. Gold, and G.W. Loomis. 1992. Nutrient and Microbial Movement from Seasonally Used Septic Systems. J. Environ. Health 55: 5-10.

- Proch, Lisa. 1991. A Reconnaissance Study on Three landslides Bordering Brownlee Reservoir. University of Idaho, Moscow, Idaho. 121 p.
- Public Law 92-50. Federal water pollution control act (Clean Water Act).
- Public Law 100-4. Water quality act of 1987.
- Ramlal, P.S., J.W.M. Rudd, and R.E. Hecky. 1985. Methods for Measuring Specific Rates of Mercury Methylation and Degradation and Their Use in Determining Factors Controlling Net Rates of Mercury Methylation. Applied and Environmental Microbiology, Jan. 1986. p 110-114.
- Rand, G. W. (editor). 1995. Fundamentals of aquatic toxicology: effects, environmental fate, and risk assessment, second edition. Washington, DC: Taylor and Francis. 1125 p.
- Raschke, R. 1993. Guidelines for Assessing and Predicting Eutrophication Status of Small Southeastern Piedmont Impoundments. US Environmental Protection Agency, Region IV, Environmental Services Division, Ecological Support Branch, Athens, Georgia.
- Raschke, R.L. 1994. Phytoplankton Bloom Frequencies in a Population of Small Southeastern Impoundments. Lake and Reservoir Management. Volume 8. Number 2. pp 205 to 210.
- Reckhow, K.H. and J.T. Simpson. 1980. A Procedure Using Modeling and Error Analysis for the Prediction of Lake Phosphorus Concentration from Land-Use Information. Can. J. Fish. Aqua. Sci. 37: 1439-1448.
- Reddell, D.L., W.H. Johnson, P.J. Lyerly, and P. Hobgood. 1971. *Disposal of Beef Manure by Deep Plowing*. In: <u>Livestock Waste Management and Pollution Abatement</u>. Amer. Soc. Amer. Engin. Proceed. 271. St. Joseph, Michigan. p 235-238.
- Rinella, F.A., W.H. Mullins, and C.A. Schuler. 1994. Reconnaissance investigation of water quality, bottom sediment, and biota associated with irrigation drainage in the Owyhee and Vale Projects, Oregon and Idaho, 1990-1991. United States Geological Survey Water Res. Invest. Rep. 93-4156.
- Rosenfeld, C.L. 1993. *Landforms and Geology*. In: <u>Atlas of the Pacific Northwest</u> (P.L. Jackson and A.J. Kimerling, ed.). Oregon State University Press, Corvallis, Oregon. P 40-47.
- Saa, A., M.C Trasar-Cepeda, B. Soto, F. Gil-Sotres, and F. Diaz-Fierros. 1994. Forms of Phosphorus in Sediments Eroded from Burnt Soils. J. Environ. Qual. 23: 739-746.
- Schacklette, H.T. and J.G. Boerngen. 1984. Element concentrations in soils and other surficial materials of the conterminous United States. United States Geological Survey Professional Paper 1270. Washington, DC: United States Government Printing Office.

- Schindler, D.W. 1978. Factors regulating phytoplankton production and standing crop in the world's freshwaters. Limnology and Oceanography 23:478-486.
- Schmitt, T.J., M.G. Dosskey, and K.D. Hoagland. 1999. Filter Strip Performance and Processes for Different Vegetation, Widths, and Contaminants. Journal of Environmental Quality, 28:1479-1489.
- Schueler, T. 1987. Controlling Urban Runoff: A Practical Manual for Planning and Designing Urban BMPs. Metropolitan Washington Council of Governments. P 19-23.
- Schueler, T. 1996. Simple and complex stormwater pollutant load models compared. Watershed Prot. Tech. 2 (2): 364-368.
- Scott, W.B and E.J. Crossman. 1973. Freshwater Fishes of Canada. Fish. Board Can. Bull. 184. p 172, 184, 197, 208, 214, 291-292.
- Seitz, H.R. and R.F. Norvitch. 1979. Ground-Water Quality in Bannock, Bear Lake, Caribou, and Part of Power Counties, Southeastern Idaho. United States Geological Survey Water Res. Invest Open File Rep. 79-14. 53 p.
- Sellers, P., C.A. Kelly, J.W.M. Rudd, and A.R. MacHutchon. 1996. Photodegradation of Methylmercury in Lakes. Nature: Vol 380, April, 1996. p 694-697.
- Shannon, E.E. and P.L. Brezonik. 1972. Relationships between lake trophic state and nitrogen and phosphorus loading rates. J. Environ. Sci. Tech. Vol. 8: 719-725.
- Sharpe, W.E. and D.R. DeWalle. 1980. *Water Quality*. Chapter 8 In: <u>Forest Hydrology</u> (Lee, R., ed.). New York: Columbia University Press.
- Sharpley, A.N., C.A. Jones, C. Grey, and C.V. Cole. 1984. A simplified soil and plant phosphorus model II: Prediction of labile, organic and sorbed phosphorus. Soil Sci. Soc. Amer. J. Vol. 48: 805-809.
- Sharpley, A.N., M.J. Hedley, E. Sibbesen, A. Hillbricht-Ilkowska, W.A. House, and L. Ryszkowski. 1995. *Phosphorus Transfers from Terrestrial to Aquatic Ecosystems*. In: Phosphorus in the Global Environment: Transfers, Cycles and Management (Tiessen, H., ed). Chichester: John Wiley & Sons.
- Sharpley, A.N., S.J. Smith, O.R. Jones, W.A. Berg, and G.A. Coleman. 1992. The Transport Bioavailability Phosphorus in Agricultural Runoff. J. Environ. Qual. 21: 30-35.
- Sharpley, A.N., W.W. Troeger, and S.J. Smith. 1991. The Measurement of Bioavailable Phosphorus in Agricultural Runoff. J. Environ. Qual. 20: 235-238.

- Shewmaker, G.E. 1997. Livestock Grazing Effects on Phosphorus Cycling in Watersheds.

 Proceedings: Watershed and Riparian Workshop, LaGrande, Oregon, September 11-13.
 25 p.
- Shock, C.C. and E.B.G. Feibert, L.B. Jensen, R.L. Jones, E.C. Gheen, and G.W. Capps. 2001. Changes Toward Sustainability in the Malheur-Owyhee Watershed. ASA-CSSA-SSSA. ASA Special Publication No. 64. p 97-106.
- Sims, C.W. 1971. Emigration of Juvenile Salmon and Trout from Brownlee Reservoir, 1963-65. United States Fish and Wildlife Service Fishery Bulletin: 68 (2) pp. 245-259.
- Smeltzer, E. and S.A. Heiskary. 1990. Analysis and Applications of Lake User Survey Data. Lake and Reservoir Management. Volume 6. Number 1. pp. 109 to 118.
- Snarski, V.M. and G.F. Olson. 1981. Chronic Toxicity and Bioaccumulation of Mercuric Chloride in the Fathead Minnow (*Pimephales promelas*). Aquatic Toxicology, 2(1982) 143-156.
- Snowpack Telemetry (SNOTEL) 2000. Website: www.wrcc.sage.dri.edu/snotel.html
- Soballe, D.M. and B.L. Kimmel. 1987. A Large Scale Comparison of Factors Influencing Phytoplankton Abundance in Rivers, Lakes and Impoundments. Ecology: vol. 68(6), 1943-1954.
- Soil Conservation Service (SCS). 1994. The Phosphorus Index: A Phosphorus Assessment Tool. South National Technical Center, Series Number 1901, August 1994. 15 p.
- Sonzogni, W.C., S.C. Chapra, D.E. Armstrong, and T.J. Logan. 1982. Bioavailability of Phosphorus Inputs to Lakes. J. Environ. Qual. 11 (4): 555-563.
- Sorensen, J.A., G.E. Glass, K.W. Schmidt, J.K. Huber, and G. R. Rapp, Jr. 1990. Airborne Mercury Deposition and Watershed Characteristics in Relation to Mercury Concentrations in Water, Sediments, Plankton, and Fish of Eighty Northern Minnesota Lakes. Environ. Sci. Technol., 24 (11). P 1716-1727.
- Speece, R.E. 1970. Aeration of Oxygen-Deficient Impoundment Releases. Presented at the 5th International Water Pollution Research Conference, July-August 1970. P III-29/1-III-29/11.
- Speece, R.E., C. Givler, R. Aubert, J. Crate, R. Caire, and R.H. Siddigi. 1982. Hypolimnion Oxygenation Studies in Clark Hill Lake. Journal of Hydraulics Division, Proceedings of the American Society of Civil Engineers, ASCE, Vol. 108, No. HY2, February, 1982. P 225-245.
- Speece, R.E. 1983. Water Quality Management of Hydropower Discharges. Presented at Water Power '83, International Conference on Hydropower, Knoxville, Tennessee, September 19-21, 1983. 13 p.

- Speece, R.E., N. Nirmalakhandan and G. Tchobanoglous. 1990. Commercial Oxygen Use in Water-Quality Management. Water Environment and Technology, July 1990. p 54-61.
- Speece, R.E. 1994. Lateral Thinking Solves Stratification Problems. WQI No. 3, 1994. P 12-15.
- Speece, R.E. 1996. Oxygen Supplementation by U-Tube to the Tombigbee River. Wat. Sci. Tech, Vol. 34, No. 12, 1996. P 83-90.
- St. Louis, V.L. 1993. Importance of Wetlands as Sources of Methyl Mercury to Boreal Forest Ecosystems. Can. Journal of Fish. Aquat. Sci., Vol. 51, 1994.
- Stanford, L.M. 1942. Preliminary Studies in the Biology of the Snake River. Doctoral Thesis, University of Washington, Seattle, Washington. 119 p.
- Stauffer, R.E. 1991. Environmental Factors Influencing Chlorophyll v. Nutrient Relationships in Lakes. Freshwater Biology 25: 279-295.
- Strahler, A. N. 1957. Quantitative analysis of watershed geomorphology. American Geophysical Union Transactions. 38:913-920.
- Terrene Institute. 1996. <u>A Watershed Approach to Urban Runoff: Handbook for Decision</u> Makers.
- Thompson, K.E. and J.D. Fortune, Jr. 1967. A Report with Recommendations to the Oregon State Water Resources Board. Project F-69-R-5, Oregon State Game Commission, Portland, Oregon. 10 p. plus appendices.
- Tiessen, H. (ed.). 1995. *Phosphorus in the Global Environment: Transfers, Cycles and Management*. In: <u>Scientific Committee on Problems of the Environment 54</u>. Chichester: John Wiley and Sons.
- Tilstra, J.R., K.W. Malueg, and W.C. Larson. 1972. Removal of Phosphorus and Nitrogen from Wastewater Effluent by Induced Soil Percolation. J. Water Poll. Con. Fed. 44 (5): 796-805.
- Tisdale, S.L., W.L. Nelson, J.D. Beaton, and J.L. Havlin. 1993. *Soil and Fertilizer Phosphorus*. Chapter 6 In: <u>Soil Fertility and Fertilizers</u>. New York, New York: MacMillan Publishing Company, Fifth Edition.
- Tsai, P. 2001. San Francisco Bay Atmospheric Deposition Pilot Study Part 1: Mercury. Prepared for: Regional Monitoring Program for Trace Substances, San Francisco Estuary Institute Oakland, CA, August 2001. 45 p.

- United States Army Corps of Engineers (USACOE). 1993. Interim Columbia and Snake Rivers Flow Improvement Measures for Salmon Supplemental Environmental Impact Statement. Department of the Army, Walla Walla, Washington.
- USACOE. 1999. Improving Salmon Passage, LSR Juvenile Salmon Migration Feasibility Report and Environmental Impact Statement. United States Army Corps of Engineers, Walla Walla District. 40 p.
- United States Bureau of Reclamation (USBR). 1997. Cumulative hydrologic effects of water use Estimate of the hydrologic impacts of water resources development in the Columbia River Basin. Draft report, United States Bureau of Reclamation, Pacific Northwest Region, Boise, Idaho. Finalized, 1999.
- USBR. 1998. Snake River Resources Review (SR³), Draft Resource Needs Assessment. United States Department of the Interior, Bureau of Reclamation, Boise, Idaho, March 1998.
- USBR. 1999. Snake River flow augmentation impact analysis appendix prepared for the United States Army Corps of Engineers Walla Walla District Lower Snake River Juvenile Salmon Migration Feasibility Study and Environmental Impact Statement. United States Bureau of Reclamation, Pacific Northwest Region, Boise, Idaho.
- USBR. 1999a. Water Resources Data, Idaho, Water Year 1998. Water data report ID-98-2. United States Department of the Interior United States Bureau of Reclamation.
- USBR. 2001. Analysis of Inflows to the Snake River from Murphy to Weiser. United States Bureau of Reclamation. 15 p and appendices.
- United States Department of Agriculture (USDA). 1996. *Agricultural Wastes and Water, Air and Animal Resources*. Chapter 3 In: <u>Agricultural Waste Management Field Handbook</u>. Washington, DC: United States Department of Agriculture. p 3-8 to 4-11.
- USDA United States Forest Service (USDA-USFS). 1997. Upper Columbia Basin Draft Environmental Impact Statement, Volumes One and Two. ICBEMP EIS Team, Boise, Idaho.
- USDA National Agricultural Statistics Service (NASS) Website. 2001. http://www.usda.gov/nass
- United States Department of Energy. 1985. Hells Canyon Environmental Investigation. United States Department of Energy, Bonneville Power Administration, Office of Power and Resource Management. DOE/BR 11548-1, January 1985.
- United States Department of Health, Education and Welfare. 1961. Summary Report Water Quality Studies, Brownlee Reservoir Snake River. Columbia River Basin, working paper #16. United States Department of Health, Education and Welfare, Portland, Oregon.

- United States Environmental Protection Agency (US EPA). 1974a. EPA 440/9-74-001. National Water Quality Inventory: 1974 Report to the Congress Volume I & II; Chapter IX Snake River. p 201- 234.
- US EPA. 1974b. EPA 330/2-74-001. Biostimulation of Wastes and Receiving Waters of the National Field Investigations Center, Denver, Colorado. 63 p.
- US EPA. 1974 & 1975. Inventory of Significant Discharge and Points for Irrigation Return Flow, Middle and Upper Snake River Basins. United States Environmental, Surveillance and Analysis Division, Seattle, Washington 98101.
- US EPA. 1975a. STORET data for Brownlee Reservoir (April through August 1975).
- US EPA. 1975b. Upper/Middle Snake River Basin Status Report. United States Environmental Protection Agency, Region X, Seattle, Washington.
- US EPA. 1976. EPA 625/1-76-001a. Process Design Manual for Phosphorus Removal. Prepared for Technology Transfer.
- US EPA. 1978. National Eutrophication Survey, Corvallis, Oregon. Working Paper 827. Report on Brownlee Reservoir Baker County, Oregon and Washington County, Idaho. United States Environmental Protection Agency, Region X, Seattle, Washington. 55 p and data sheets.
- US EPA. 1980. Water Quality Assessment, Lower Snake River Basin, Surveillance and Analysis Division. United States Environmental Protection Agency Region X, Seattle, Washington.
- US EPA. 1983. Final Report on the National Urban Runoff Program, prepared by Woodward-Clyde Consultants.
- US EPA. 1984a. EPA 440/5/-84-026. Ambient Aquatic Life Water Quality Criteria for Mercury. United States Environmental Protection Agency, Office of Research and Development, Environmental Research Laboratories, Duluth, Minnesota / Narragansett, Rhode Island.
- US EPA. 1984b. EPA 625/6-84-009. Handbook Septage Treatment and Disposal. United States Environmental Protection Agency 625/6-84-009. Center for Environmental Research Information, Cincinnati, Ohio.
- US EPA. 1986a. Pesticide and nitrate contamination of ground water near Ontario, Oregon: summary report. United States Environmental Protection Agency Region 10, Seattle, Washington.

- US EPA. 1986b. EPA 440/5-86-001. Quality Criteria for Water 1986 (The Gold Book). National Recommended Water Quality Criteria; Notice; Republication, EPA FRL-OW-6186-61.
- US EPA. 1986c. EPA 440/5-84-002. Ambient Water Quality Criteria for Bacteria 1986.
- US EPA. 1986d. Sediment Quality Criteria Methodology Validation: Calculation of Screening Level Concentrations from Field Data. 60 p plus appendix.
- US EPA. 1991a. Fact sheet—National primary drinking water standards: EPA 570/9-91/012FS. 8 p.
- US EPA. 1991b. *The Water Quality-Based Approach to Pollution Control*. Chapter 2 In:

 <u>Guidance for Water Quality-Based Decisions</u>. United States Environmental Protection
 Agency 440/4-91-001. April 1991. www.epa.gov/owow/tmdl/decisions/dec2.html
- US EPA. 1991c. Development and Implementation of the TMDL. Chapter 3 In: Guidance for Water Quality-Based Decisions. United States Environmental Protection Agency 440/4-91-001. April 1991. www.epa.gov/owow/tmdl/decisions/dec3.html
- US EPA. 1992a. EPA 823-R-92-008a. National Study of Chemical Residues in Fish Volume I. 164 p plus appendices.
- US EPA. 1992b. EPA 823-R-92-008b. National Study of Chemical Residues in Fish Volume II. 200 p plus appendices.
- US EPA. 1992c. Action levels for poisonous or deleterious substances in human food and animal feed (8/92): Department of Health and Human Services, Washington, D.C. 16 p.
- US EPA. 1992d. EPA 833-B-92-002. Guidance Manual for the Preparation of Part 2 of the NPDES Permit Applications for Discharges from Municipal Separate Storm Sewer Systems.
- US EPA. 1993. EPA 840-B-92-002. Guidance Specifying Management Measures for Sources of Nonpoint Pollution in Coastal Waters.
- US EPA. 1994a. EPA 841-R-94-001. National Water Quality Inventory. 1992 Report to Congress, Washington, DC.
- US EPA. 1994b. Water Body Survey and Assessment, Malheur River, Malheur County, Oregon.
- US EPA. 1994c. National primary drinking water standards: United States Environmental Protection Agency. EPA 810-F-94-001A. 8 p.

- US EPA. 1995a. EPA 841-F-95-008a. Controlling Nonpoint Source Runoff Pollution from Roads, Highways, and Bridges.
- US EPA. 1995b. EPA 841-F-95-009d. Erosion, Sediment, and Runoff Control for Roads and Highways.
- US EPA. 1996. Biological criteria: technical guidance for streams and small rivers. EPA 822-B-97-002B. United States Environmental Protection Agency, Office of Water, Washington DC. 162 p.
- US EPA. 1997a. National Toxics Rule (NTR). Water Quality Criteria, Ambient Human Health: Methylmercury Criteria Document, updated http://www.epa.gov/waterscience/criteria/methylmercury/document.html
- US EPA. 1997b. EPA 425/R-97-004. Mercury Study Report to Congress, Volume II: An Inventory of Anthropogenic Mercury in the United States.
- US EPA. 1997c. Guidelines for preparation of the comprehensive state water quality assessments (305(b) reports) and electronic updates: supplement. EPA 841-B-97-002B. United States Environmental Protection Agency, Washington, DC. 105 p.
- US EPA. 1998a. STORET data for Snake River and tributaries (1958-1998) from EarthInfo CDs. Region (10:2).
- US EPA. 1998b. Lake and Reservoir Bioassessment and Biocriteria Technical Guidance Manual. EPA-841-B-98-007. United States Environmental Protection Agency, Office of Water, Washington, DC.
- US EPA. 1999. EPA 910-R-99-010. A Review and Synthesis of Effects of Alterations to the Water Temperature Regime on Freshwater Life Stages of Salmonids, with special Reference to Chinook Salmon. 279 p.
- US EPA. 2000a. N. Arnold. Personal communication. US Environmental Protection Agency, Boise, Idaho.
- US EPA. 2000b. Federal Register: July 13, 2000 (Volume 65, Number 135). Rules and Regulations. p 43585 to 43670.
- US EPA. 2000c. Total Maximum Daily Load for Dissolved Cadmium, Dissolved Lead, and Dissolved Zinc in Surface Waters of the Cour d' Alene River Basin, United States Department of Environmental Quality, August, 2000.
- US EPA. 2000d. EPA 822-B00-001. Nutrient Criteria Technical Guidance Manual: Lakes and Reservoirs, *and* 822-B-00-002. Nutrient Criteria Technical Guidance Manual: Rivers and Streams. First Edition. United States Environmental Protection Agency Office of

- Water, Washington, DC July 2000. pdf copy available for download at: www.epa.gov/ost/standards/nutrient.html
- US EPA. 2000e. 40 CFR Part 131, Water Quality Standards; Establishment of Numeric Criteria for Priority Toxic Pollutants for the State of California. Federal Register / Vol. 65, No.97 / Thursday, May 18, 2000 / Rules and Regulations. p 31682-31719.
- US EPA Mercury Website. http://www.epa.gov/mercury/
- US EPA. 2001a. EPA 823-F-01-011. Mercury Update: Impact on Fish Advisories.
- US EPA. 2001b. EPA 823-F-01-001. Water Quality Criterion for the Protection of Human Health: Methylmercury. http://www.epa.gov/waterscience/criteria/methylmercury/factsheet.html
- US EPA. 2001c. Water Quality Criteria: Notice of availability of water quality criterion for the protection of human health: Methyl-mercury. Fed. Reg. 66(5): 1344-1359.
- US EPA. 2001d. Mercury Web Site. http://www.epa.gov/mercury/information.htm
- US EPA. 2001e. National Primary Drinking Water Regulations, Technical Factsheet on Mercury. http://www.epa.gov/ogwdw000/dwh/t-ioc/mercury.html
- US EPA. 2001f. United States Environmental Protection Agency, Persistent, Bioaccumulative, and Toxic Pollutants (PBT) Program, Priority PBTs: Aldrin/Dieldrin. Office of Pollution Prevention and Toxics. http://www.epa.gov/opptintr/pbt/aldrin.htm
- US EPA. 2002. Pacific Northwest Temperature Criteria Guidance Project. www.epa.gov/r10earth/temperature.htm
- United States Fish and Wildlife Service (USFWS). 1957. A preliminary progress report on air and water temperature studies, Middle Snake River Drainage, 1954-1956. Portland, Oregon.
- USFWS. 1958. A progress report on air and water temperature studies for 1957, Middle Snake River drainage. River Basin Studies, Portland, Oregon. 101 p.
- USFWS. 1960. Water temperature studies for 1958, Middle Snake River drainage. River Basin Studies, Portland, Oregon. 110 p.
- USFWS. 1968. Passage of Adult Chinook Salmon through Brownlee Reservoir, 1960-62. Fishery Bulletin: Vol. 67, No. 1., p 35-45, United States Fish and Wildlife Service, Washington, 1968.
- USFWS. 1987. Mercury Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review. Patuxent Wildlife Research Center, Laurel, Maryland.

- USFWS. 2002. DDT Fact Sheet. http://www.contaminants.fws.gov/issues/DDT.cfm
- United States Food and Drug Administration (US FDA). 1984. Action Level for Methyl Mercury in Fish; Availability of Compliance Policy Guide. Federal Register, 49 (224): p 45663.
- US FDA. 2001. An Important Message for Pregnant Women and Women of Childbearing Age Who May Become Pregnant about the Risks of Mercury in Fish. Center for Food Safety and Applied Nutrition, United States Food and Drug Administration, March, 2001. http://vm.cfsan.fda.gov/~dms/admehg.html.
- United States Geological Survey (USGS). 1987. Hydrologic unit maps. United States Geological Survey water-supply paper 2294. United States Geological Survey, Denver, Colorado. 63 p.
- USGS. 1995. Data for and Adjusted Regional Regression Models of Volume and Quality of Urban Storm-Water Runoff in Boise and Garden City, Idaho, 1993-94. Water-Res. Invest. Rep. 95-4228.
- USGS. 1999. United States Geological Survey Daily Values. West 2 (CDs for Idaho and Oregon data). EarthInfo, Inc., Boulder, Colorado.
- USGS. 2000a. United States Geological Survey Coverages as available from: http://edcwww.cr.usgs.gov/programs/lccp/mrlcreg.html
- USGS. 2000b. Mercury Bioaccumulation in Fish in a Region Affected by Historic Gold Mining: The South Yuba River, Deer Creek, and Bear River Watersheds, California, 1999. Open File Report 00-367.
- USGS 2001a. USGS online water quality information for Idaho and Oregon. http://waterdata.usgs.gov/id/nwis/qw and http://waterdata.usgs.gov/or/nwis/qw
- USGS. 2001b. P. Woods. Personal communication. US Geological Survey, Boise, Idaho.
- VanWinkle, W. 1914. Quality of Surface Water in Oregon. Water Supply Paper #363. United States Geological Survey, Reston, Virginia.
- Vollenweider, R.A.. 1968. Scientific fundamentals of the eutrophication of lakes and flowing waters, with particular reference to nitrogen and phosphorus as factors in eutrophication. OECD Technical Report DAS/CS1/68.27. 159 p.
- Vollenweider, R.A. and P.J. Dillon. 1974. The Application of the Phosphorus Loading Concept to Eutrophication Research. National Research Council of Canada, National Research Associate Committee on Scientific Criteria for Environmental Quality. 42 p.

- Waldman, C. 1985. Atlas of the North American Indian. Facts on File. New York, New York. 276 p.
- Wallschlager, D., M.V.M. Desai, and R.D. Wilken. 1995. The Role of Humic Substances in the Aqueous Mobilization of Mercury from Contaminated Floodplain Soils. Water, Air, and Soil Pollution 90: 507-520, 1996.
- Waltras, C.J. 1994. Sources and Fates of Mercury and Methylmercury in Wisconsin Lakes. Chapter 1.12 In: Mercury Pollution: Integration and Synthesis. Lewis Publishers, 1-56670-066.
- Waltras, C.J., N.S. Bloom, S.A. Claas, K.A. Morrison, C.C. Gilmour, and S.R. Craig. 1995.
 Methylmercury Production in the Anoxic Hypolimnion of a Dimictic Seepage Lake.
 Water, Air, and Soil Pollution 80: 735-745, 1995.
- Washington Department of Ecology (WDOE). 1997. A Suspended Nutrient and DDT Total Maximum Daily Load Evaluation Report for the Yakima River. Publication Number 97-321. 87 p.
- Water Environment Federation (WEF). 1987. The Clean Water Act of 1987. Alexandria VA. 318 p.
- Waters, T.F. 1995. Sediment in Streams: Sources, Biological Effects and Control. American Fisheries Society Vol. 7, Bethesda, Maryland. 217 p.
- Watershed Professionals Network. 2001. Water Quality Criteria and Suitability Analysis for the Snake River Hells Canyon TMDL Review Draft. Prepared for Idaho Department of Environmental Quality. 116 p plus appendices.
- Weltz, M., M.K. Wood, and E.E. Parker. 1989. Flash Grazing and Trampling Effects on Infiltration Rates and Sediment Yield on a Selected New Mexico Range Site. J. Arid Env., 16 (1), p 95-100.
- Wen, M. May 2001. Personal Communication. Idaho Department of Health and Welfare, Division of Environmental Health and Safety, Boise, Idaho.
- Western Regional Climate Center (WRCC). 2000. Western Regional Climate Center web-sites for Oregon and Idaho respectively: www.wrcc.sage.dri.edu/summary/climsmid.html and www.wrcc.sage.dri.edu/summary/climsmid.html
- Wheatley, B. and S. Paradis. 1996. Balancing Human Exposure, Risk and Reality: Questions Raised by the Canadian Aboriginal Methylmercury Program. Neuro Toxicology 17(1): 241-250, 1996.

- Whistler, J.T. and J.H. Lewis. 1916. Malheur and Owyhee Projects, Irrigation and Drainage. United States Department of the Interior United States Bureau of Reclamation. (Multiple sections from larger document.)
- World Commission on Dams. 2000. Dams and Development. A New Framework for Decision-Making. Pretoria, South Africa. http://www.dams.org/report/execsumm.htm
- Yee, J.J.S. and W.R. Souza. 1984. Quality of Ground Water in Idaho. United States Geological Survey Open File Rep. 83-50. 78 p.
- Zaroban, D.W., M.P. Mulvey, T.R. Maret, R.M. Hughes, and G.D. Merritt. 1999. Classification of Species Attributes for Pacific Northwest Freshwater Fishes. Northwest Science, Vol. 73, No. 2, 1999. P 81-93.
- Zimmer, D.W. 1983. Phosphorus Loading and Bacterial Contamination of Cascade Reservoir, Boise Project, Idaho. Boise Project Power and Modification Study. United States Department of the Interior, Bureau of Reclamation, Pacific Northwest Region, Boise, Idaho. 143 p.

7.1 REFERENCE INFORMATION

7.1.1 GLOSSARY

Word	Definition
Adsorption	The adhesion of one substance to the surface of another.
Aeration	A process by which a water body secures oxygen directly from the atmosphere. The gas can then enter the biochemical oxidation reactions in the water.
Aerobic	Life forms or processes that require the presence of molecular oxygen.
Alluvium	The deposition of sediment by a river at any point along its course.
Ambient	Surrounding, external or unconfined conditions.
Anaerobic	Processes that occur in the absence of molecular oxygen.
Anoxia	The condition of oxygen deficiency.
Anthropogenic	Caused or produced through the agency of humans.
Assimilative Capacity	The rate at which an aquatic system must consume and remove impurities from water to maintain water quality.
Autotrophic organisms	Organisms that produce their own energy from inorganic compounds (usually photosynthesis).
Biomass	The weight of biological matter, often measured in terms of grams per square meter of surface area.
Chlorophyll <u>a</u>	A photosynthetic pigment reflecting green light and imparting the typical green color to plants; chlorophyll \underline{a} is found in all autotrophic plants.
Coliform Bacteria	A group of bacteria predominately inhabiting the intestines of man and animals but also found in soil. Coliform bacteria are commonly used as indicators of the possible presence of pathogenic organisms.
Colluvium	Material transported to a site by gravity.
Designated Beneficial Uses	Any of the various uses of water, including, but not limited to domestic water supplies, industrial and agricultural water supplies, cold water biota, recreation, wildlife habitat and aesthetics. This is often shortened to either "designated uses" or "beneficial uses."
Dissolved Oxygen	Oxygen that is dissolved in the water of a stream, lake, or reservoir. It is the oxygen used by aquatic organisms for respiration.
Effluent	Treated or untreated wastewater that flows out of a treatment plant, sewer or industrial outfall. Generally refers to wastes discharged into surface waters.
Epilimnion	The warm, top-water zone above the thermocline in a lake or reservoir.
Eutrophic	A body of water of high photosynthetic activity and low transparency, usually

Word	Definition
	rich in nutrients.
Fauna	The entire animal life of a given region, habitat or geological stratum.
Fecal Streptococci	A species of spherical bacteria including pathogenic strains found in the intestines of warm-blooded animals.
Flora	The plant life of a given region, habitat or geological stratum.
Hydrology	The science dealing with the properties, distribution and circulation of water.
Hypolimnion	The cold, bottom-water zone below the thermocline in a lake or reservoir.
Igneous	Rocks formed by solidification of molten magma.
Influent	A tributary stream to an industrial or wastewater treatment plant.
Infusion	The continuous slow introduction of one content into another.
Intergravel D.O.	Dissolved oxygen found in the substrate (usually gravel) of a stream, which is needed to support fish and macro invertebrates during early life stages.
Limnology	Scientific study of fresh water, especially the history, geology, biology, physics and chemistry of lakes and reservoirs.
Load Allocation	The portion of a receiving water's loading capacity that is allocated either to one of its existing or future nonpoint sources of pollution or to natural background sources.
Loading Capacity	The greatest amount of loading that a waterbody can receive without violating water quality standards.
Mesotrophic	A trophic region in which a lake or reservoir tends to be moderately productive, but nuisance algae blooms do not occur because the nutrient supply is limited.
Nonpoint Source	Discharges to waterbodies from diffuse sources as opposed to point sources which discharge from a single point.
Noxious	Physically or chemically harmful or destructive.
Orthophosphate	A form of soluble inorganic phosphorus that is directly utilizable biological processes including algal growth.
Pelagic	The open areas of lakes or reservoirs.
Photic Zone	The surface zone of the sea or a lake having sufficient light penetration for photosynthesis.
Phytoplankton	Microscopic algae and microbes that float freely in open water of lakes and oceans.
Point Source Pollution	The type of water quality degradation resulting from the discharges into receiving waters from sewers and other identifiable "points".
Residuum	The by-product of a geological process.
Riparian	Living or located on the banks of a natural watercourse.

Word	Definition
Secchi Disc	A black and white disc, 20 cm in diameter, used to measure the transparency of water. Used as an indicator of turbidity in a water body.
Selective Withdrawal	The ability to draft water from a reservoir from differing dam elevations.
SNOTEL	Snow survey telemetry which uses the principle of radio transmissions by meteor burst. Radio signals are aimed skyward where trails of meteorites reflect or re-radiate the signals back to earth.
Stagnation	The absence of mixing in a waterbody.
Stratification	Organization of a lake into horizontal layers due to differences in temperature.
Thermocline	A horizontal temperature discontinuity layer in a lake in which the temperature falls by at least 1°C per meter of depth.
Total Maximum Daily Load (TMDL)	A measurement establishing the total amount of pollutant(s) allowed in a water body while maintaining the water body at or above water-quality standards. In practice a TMDL is the sum of all the Load Allocations, Waste Load Allocations, and the Margin of Safety.
Total Suspended Solids (TSS)	The material retained on a 45-micron filter after filtration.
Trophic State	Level of growth or productivity of a lake as measured by phosphorus content, chlorophyll \underline{a} concentrations, amount of aquatic vegetation, algal abundance and water clarity.
Trophic State Index	A system used by many states for classification of the degree of eutrophication exhibited by a lake or reservoir. The index combines measures of phosphorus, chlorophyll <u>a</u> levels and water clarity (transparency) to provide a frame of reference for comparing measurements over time.
Turbidity	A measure of the extent to which light passing through water is reduced to suspended materials.
Waste Load Allocations	The portion of a receiving water's loading capacity that is allocated to one of its existing or future point sources of pollution.
Water Quality Modeling	The input of variable sets of water quality data to predict the response of a lake or stream to different management or climatic variables.
Watershed	A region bounded peripherally by the surrounding topography that ultimately drains to a common lake or stream.

THIS PAGE INTENTIONALLY LEFT BLANK

7.1.2 Acronyms

Acronym	Description			
303(d)	Comprehensive listing of water quality limited stream segments			
AFO	Animal Feeding Operation			
AWQMAP	Agricultural Water Quality Management Area Plan (Oregon DEQ terminology)			
BAG	Basin Advisory Group (Idaho DEQ terminology)			
BCC	Boise Cascade Corporation			
BETTER	Box, Exchange, Transport, Temperature & Ecology of a Reservoir			
BLM	US Bureau of Land Management			
BNR	Biological Nutrient Removal or Biological Nutrient Reduction			
BMP	Best Management Practice			
BOR	US Bureau of Reclamation			
BOD	Biochemical Oxygen Demand			
BU	Beneficial Use			
°C	Degrees Celsius			
CES	Cooperative Extension System			
CFR	Code of Federal Register			
CFS	Cubic Feet per Second			
CFU	Colony Forming Unit			
COE	US Army Corps of Engineers			
CRP	Conservation Reserve Program			
CWA	Clean Water Act (Federal)			
DBU	Designated Beneficial Use			
DMA	Designated Management Agency			
DO	Dissolved Oxygen			
DOC	Dissolved Organic Carbon			
DOP	Dissolved Ortho-phosphate			
EPA	US Environmental Protection Agency			
ESA	Endangered Species Act (Federal)			
°F	Degrees Fahrenheit			
FERC	Federal Energy Regulatory Commission			
FHWA	Federal Highway Administration			
FLIR	Forward Looking Infrared Radiometry (a remote sensing technique for			
	temperature)			
FPA	Forest Protection Act			
FWPCA	Federal Water Pollution Control Act			
GIS	Geographical Information System			
HCNRA	Hells Canyon National Recreation Area			
HCC	Hells Canyon Complex			
HUA	Hydrologic Unit Area			
HUC	Hydrologic Unit Code			
Hg	Mercury			
IDA	Idaho Department of Agriculture			
IDAPA	Idaho Administrative Procedures Act			
IDEQ	Idaho Division of Environmental Quality			
IDFG	Idaho Department of Fish & Game			
IDHW	Idaho Depart of Health & Welfare			
IDL	Idaho Department of Lands			
IDWR	Idaho Department of Water Resources			
	(The state of the			

Acronym	Description
IFPA	Idaho Forest Practices Act
IPCo	Idaho Power Company
ISCC	Idaho Soil Conservation Commission
ISDA	Idaho Department of Agriculture
Kg	Kilogram (one thousand grams)
L	Liter
LA	Load Allocation
LAC	Local Advisory Committee
LC	Loading Capacity
MAF	Million Acre-Feet
Mg	Milligram (one thousandth of a gram)
Mg/L	Milligrams per Liter
MOS	Margin of Safety
MSL	Mean Sea Level
MUSLE	Modified Unified Soil Loss Equation
MW	Megawatt
NEDC	- maganam
Ng	Nanogram (one billionth of a gram)
Ng/L	Nanograms per Liter
NMFS	National Marine Fisheries Service
NPDES	National Pollution Discharge Elimination System
NRCS	National Resources Conservation Service
NTR	National Toxics Rule
NTU	Nephelometric Turbidity Units
NURP	National Urban Runoff Program
NWDA	Tradional Orban Nanon i Togram
OAR	Oregon Administrative Rule
ODA	Oregon Department of Agriculture
ODEQ	Oregon Department of Agriculture Oregon Department of Environmental Quality
ODFW	Oregon Department of Fish and Wildlife
ODHW	Oregon Department of Health and Welfare
ODSL	Oregon Department of Fleath and Wenate Oregon Department of State Lands
ODSL	Oregon Division of Health
OFPA	Oregon Forest Practices Act
ODWR	Oregon Department of Water Resources
OP	Ortho-phosphate
ORS	Oregon Revised Statutes
P	
PAG	Phosphorus Public Advisory Croup
	Public Advisory Group
PAT PIR	Public Advisory Team
	Phosphorus Index Rating
PM&E	Protection, Mitigation and Enhancement
POC	Particulate Organic Carbon
PON	Particulate Organic Nitrogen
POP	Particulate Organic Phosphorus
QA/QC	Quality Assurance and Quality Control (for sampling and analysis of data)
RM	River Mile
RMO	Riparian Management Objectives
RHCA	Riparian Habitat Conservation Areas
RUSLE	Revised Universal Soil Loss Equation

Acronym	Description
SAWQP	State Agricultural Water Quality Program (Idaho program)
SBA	Sub-Basin Assessment
SR-HC	Snake River – Hells Canyon
SRP	Soluble Reactive Phosphorus
SRPA	Snake River Plain Aquifer
SSC	Suspended Sediment Concentration (also referred to as Total Suspended Sediment)
STORM	Storage, Treatment, Overflow & Runoff Model
SCD	Soil Conservation District
SWCD	Soil and Water Conservation District
SWMM	Stormwater Management Model
TAC	Technical Advisory Committee
TDG	Total Dissolved Gas
TKN	Total Kjeldahl Nitrogen
TMDL	Total Maximum Daily Load
TN	Total Nitrogen
TP	Total Phosphorus
TSS	Total Suspended Solids
TSSed	Total Suspended Sediment
Ug	Microgram (one millionth of a gram)
Ug/L	Micrograms per liter
USBR	US Bureau of Reclamation
USDA	US Department of Agriculture
USEPA	US Environmental Protection Agency
USFS	US Forest Service
USFWS	US Fish & Wildlife Service
USGS	US Geological Survey
USLE	Universal Soil Loss Equation
UTM	Universal Transverse Mercator
WAG	Watershed Advisory Group (Idaho terminology)
WEQ	Wind Erosion Quotient
WHIP	Wildlife Habitat Incentives Program
WLA	Waste Load Allocation
WPCA	Water Pollution Control Act
WQI	Water Quality Index
WQLS	Water Quality Limited Segment
WQPA	Water Quality Program for Agriculture
WRP	Wetlands Reserve Program
WWTP	Wastewater Treatment Plant
WY	Water Year

THIS PAGE INTENTIONALLY LEFT BLANK

7.1.3 Other TMDLs in the General Area of the Snake River – Hells Canyon Reach

THIS PAGE INTENTIONALLY LEFT BLANK

Scheduling of TMDLs in the Snake River - Hells Canyon Drainage

Bolded entries are part of the Snake River - Hells Canyon TMDL

Location	Listed Pollutant (1998 303(d) list)	TMDL Due Date	State Responsible	HUC Number
Snake River	(1330 303(u) 1131)			
Snake - American Falls to Milner (Lake Walcott TMDL)	DO, pest, sed	1999	Idaho	17040209
Snake - Milner to King Hill (Mid-Snake and Upper-Snake Rock TMDLs)	amm, bac, DO, nut, Qalt, sed, temp, therm	1997, 1999(?)	Idaho	17040212
Snake - King Hill to Hwy 51 CJ Strike Reservoir	sed nut, pest	2004 2004, 2000	Idaho Idaho	17050101 17050101, 17050102
CJ Strike Dam to Castle Creek Castle Creek to Swan Falls	sed sed	2002 2002	Idaho Idaho	17050103 17050103
Swan Falls to Boise River Inflow* Snake River - Mainstem (RM 409 to 168)	bac, DO, nut, pH, Qalt, sed Hg, temp	2002 2007	ldaho Oregon	17050103* 17050115, 17050201, 17060101, 17050103**
Boise River to Weiser River Middle Snake - Payette (OR)	bac, nut, pH, sed Hg, temp	2001 2003	ldaho Oregon	17050115 17050115
Weiser River to Brownlee Dam Brownlee Reservoir	DO, nut, pH, sed Hg, temp	2001 2005	ldaho Oregon	17050201 17050201
Brownlee Dam to Oxbow Dam	nut, pest, sed	2001	ldaho	17050201
Oxbow Dam to above Salmon River	not listed	2001	Idaho	17060101
Lower Snake - Asotin**	Hg, temp	2005	Oregon	17060103**
* Mainstem Snake downstream from OR/ID border only ** Mainstem Snake downstream to OR/WA border only				
Owyhee River North Fork (TMDL completed) South Fork (TMDL completed)	temp temp	1999 1999	Idaho Idaho	17050107 17050105

Location	Listed Pollutant (1998 303(d) list)	TMDL Due Date	State Responsible	HUC Number
Middle Fork (TMDL completed) Middle Fork Lower	temp temp bac, chl a, DDT, Diel, DO, Hg, temp	1999 2006 2006	Idaho Oregon Oregon	17050107 17050107 17050110
Mainstem tribs Tribs Tribs	bac, sed, Qalt, temp temp temp, Hg	2001 1999 2006	Idaho Idaho Oregon	17050104 17050107 17050107, 17050110
Boise River North Fork South Fork Lower* (Lucky Peak to Snake River) (TMDL completed) Tribs * Nutrient TMDL pending SR-HC TMDL allocations	sed sed bac, nut, Qalt, sed, temp DO, nut, OG, sed, unk	2000 2000 1998* 2001, 2006	Idaho Idaho Idaho Idaho	17050111 17050113 17050114 17050113, 17050114
Malheur River Upper Lower Tribs	bac, Qalt, temp bac, chl a, DDT, Diel bac, chl a, temp	2003 2003 2003	Oregon Oregon Oregon	17050116 17050117 17050116, 17050117
Payette River North Fork Middle Fork Black Canyon Reservoir Black Canyon Dam to Snake (TMDL completed)	DO, nut, pH temp nut, OG, sed bac, nut, temp	1998, 2003 2003 1999 1999	Idaho Idaho Idaho Idaho	17050123 17050123, 17050122 17050122 17050122
Tribs	Halt, nut, Qalt, sed, temp	2003	Idaho	17050122, 17050123
Weiser River Tribs	bac, DO, nut, sed, temp	2003 2003, 2006	Idaho Idaho	17050124 17050124

Location	Listed Pollutant (1998 303(d) list)	TMDL Due Date	State Responsible	HUC Number
Burnt River and Tribs	chl a, Halt, Qalt, sed, temp	2005	Oregon	17050202
Powder River and Tribs	bac, DO, Qalt, sed, temp	2005	Oregon	17050203
Pine Creek	temp	2005	Oregon	17060101
Imnaha River	temp	2001	Oregon	17060102
Tribs	Halt, temp	2001	Oregon	17060102
Salmon River North Fork South Fork Lower Mainstem tribs Tribs	sed, temp, unk sed sed Qalt, sed, temp bac, DO, Halt, mtu, nut, pH, Qalt, sed, temp, unk	2000, 2001 2000 2004 2005 2000, 2001, 2004, 2005, 2006	Idaho Idaho Idaho Idaho Idaho	17060201, 17060203 17060208 17060209 17060205, 17060206 17060201, 17060202, 17060203, 17060204, 17060205, 17060207, 17060208, 17060209, 17060210
Dennett Creek Warm Springs Creek Hog Creek Scott Creek Divide Creek Wolf Creek Getta Creek	Qalt, sed, temp nut, sed nut, sed nut, sed sed sed	2001 2001 2001 2001 2005 2005 2005	Idaho Idaho Idaho Idaho Idaho Idaho Idaho	17050201 17050201 17050201 17050201 17060101 17060101 17060101

algae = nuisance algae growth

amm = ammonia (NH₃)

bac = bacteria or pathogens

chl a = chlorophyll a

DDT = pesticide listing for the presence of DDT and associated metabolites (DDD, DDE)

Diel = pesticide listing for the presence of the insecticide Dieldrin

DO = low dissolved oxygen

Halt = habitat alteration

Hg = metals listing for the presence of mercury

mtu = metals listing for the presence of unidentified (unknown) metals

nut = listing for excessive nutrients

pH = pH outside of the identified range (6.5 to 9.5 in Idaho waters, 7.0 to 9.0 in Oregon waters)

pest = listed for the presence of pesticides

Qalt = flow alteration

sed = presence of excessive sediment

temp = temperature exceedences

therm = thermal alteration

unk = listed because of non-support of designated beneficial uses due to unknown pollutants/pollution